

# BSgenome.Tguttata.UCSC.taeGut2

April 10, 2016

---

BSgenome.Tguttata.UCSC.taeGut2

*Full genome sequences for Taeniopygia guttata (UCSC version taeGut2)*

---

## Description

Full genome sequences for *Taeniopygia guttata* (Zebra finch) as provided by UCSC (taeGut2, Feb. 2013) and stored in Biostrings objects.

## Note

This BSgenome data package was made from the following source data files:

taeGut2.2bit from <http://hgdownload.soe.ucsc.edu/goldenPath/taeGut2/bigZips/>

See [?BSgenomeForge](#) and the BSgenomeForge vignette (`vignette("BSgenomeForge")`) in the **BSgenome** software package for how to make a BSgenome data package.

## Author(s)

The Bioconductor Dev Team

## See Also

- [BSgenome](#) objects and the `available.genomes` function in the **BSgenome** software package.
- [DNASTring](#) objects in the **Biostrings** package.
- The BSgenomeForge vignette (`vignette("BSgenomeForge")`) in the **BSgenome** software package for how to make a BSgenome data package.

**Examples**

```
BSgenome.Tguttata.UCSC.taeGut2
genome <- BSgenome.Tguttata.UCSC.taeGut2
head(seqlengths(genome))
genome$chr1 # same as genome[["chr1"]]

## -----
## Genome-wide motif searching
## -----
## See the GenomeSearching vignette in the BSgenome software
## package for some examples of genome-wide motif searching using
## Biostrings and the BSgenome data packages:
if (interactive())
  vignette("GenomeSearching", package="BSgenome")
```

# Index

\*Topic **data**

BSgenome.Tguttata.UCSC.taeGut2, [1](#)

\*Topic **package**

BSgenome.Tguttata.UCSC.taeGut2, [1](#)

available.genomes, [1](#)

BSgenome, [1](#)

BSgenome.Tguttata.UCSC.taeGut2, [1](#)

BSgenome.Tguttata.UCSC.taeGut2-package  
(BSgenome.Tguttata.UCSC.taeGut2),  
[1](#)

BSgenomeForge, [1](#)

DNAStrng, [1](#)

Tguttata

(BSgenome.Tguttata.UCSC.taeGut2),  
[1](#)