

MeSH.Sce.S288c.eg.db

April 10, 2016

MeSH.Sce.S288c.eg.db *Annotation package that provides correspondence between MeSH ID and Entrez Gene ID*

Description

This data represents a collection of annotation packages that can be used as a single object named as package name. This object can be used with the standard four accessor method for all AnnotationDbi objects. Namely: columns, keytypes, keys and select. Users are encouraged to read the vignette from the MeSHdbi package for more details.

Usage

```
MeSH.Sce.S288c.eg.db
```

Author(s)

Koki Tsuyuzaki

Examples

```
library(MeSH.Sce.S288c.eg.db)
MeSH.Sce.S288c.eg.db

cls <- columns(MeSH.Sce.S288c.eg.db)
cls
kts <- keytypes(MeSH.Sce.S288c.eg.db)
kt <- kts[2]
kts
ks <- head(keys(MeSH.Sce.S288c.eg.db, keytype=kts[2]))
ks
res <- select(MeSH.Sce.S288c.eg.db, keys=ks, columns=cls, keytype=kt)
head(res)

dbconn(MeSH.Sce.S288c.eg.db)
dbfile(MeSH.Sce.S288c.eg.db)
```

dbschema(MeSH.Sce.S288c.eg.db)
dbInfo(MeSH.Sce.S288c.eg.db)
species(MeSH.Sce.S288c.eg.db)

Index

MeSH. Sce. S288c. eg. db, 1