

Package ‘AnnotationHubData’

October 27, 2015

Type Package

Title Transform public data resources into Bioconductor Data Structures

Version 1.0.0

Depends R (>= 3.2.2), methods, S4Vectors (>= 0.7.21), IRanges (>= 2.3.23), GenomicRanges, AnnotationHub

Suggests RUnit, knitr, RMySQL, BiocStyle, grasp2db

Imports GenomicFeatures, Rsamtools, rtracklayer, RCurl, BiocGenerics, jsonlite, BiocInstaller, httr, AnnotationDbi, Biobase, Biostrings, DBI, GEOquery, GenomeInfoDb, OrganismDbi, RSQLite, rBiopaxParser, AnnotationForge, futile.logger (>= 1.3.0), XML

Description These recipes convert a wide variety and a growing number of public bioinformatic data sets into easily-used standard Bioconductor data structures.

License Artistic-2.0

LazyLoad yes

biocViews DataImport

VignetteBuilder knitr

Collate Message-class.R ImportPreparer-class.R
makeAnnotationHubResource.R AnnotationHubMetadata-class.R
utils.R updateResources.R ahmToJson.R webAccessFunctions.R
makeBioPaxImporter.R makeChEA.R makedbSNPVCF.R makeEncodeDCC.R
makeEnsemblGtfToGRanges.R makeEnsemblFasta.R
makeEpigenomeRoadmap.R makeGenecodeFasta.R makeGenecodeGFF.R
makeGrasp2Db.R makeGSE62944ToExpressionSet.R makeHaemCode.R
makeInparanoid8ToDbs.R makeNCBIToOrgDbs.R
makeRecentOrgPkgsToDbs.R makePazar.R makeRefNet.R
makeUCSCChain.R makeUCSC2Bit.R makeUCSCTracks.R
trackWithAuxiliaryTableToGRangesRecipe.R
UCSCTrackUpdateChecker.R

NeedsCompilation no

Author Martin Morgan [ctb],
Marc Carlson [ctb],
Dan Tenenbaum [ctb],
Sonali Arora [ctb],
Paul Shannon [ctb],
Bioconductor Package Maintainer [cre]

Maintainer Bioconductor Package Maintainer <maintainer@bioconductor.org>

R topics documented:

AnnotationHubRecipes-package	2
AnnotationHubMetadata-class	2
ensemblFastaToFaFile	5
flog	6
ImportPreparer-class	7
upload_to_S3	7

Index	9
--------------	----------

AnnotationHubRecipes-package

Transform public data resources into Bioconductor Data Structures
~~ package title ~~

Description

These recipes convert a wide variety and a growing number of public bioinformatic data sets into easily-used standard Bioconductor data structures.

Details

Package: AnnotationHubRecipes
 Type: Package
 Version: 1.0
 Date: 2012-11-30
 License: Artistic-2.0

This package provides a set of methods which convert bioinformatic data resources into standard Bioconductor data types. For example, a UCSC genome browser track, expressed as a BED file, is converted into a GRanges object. Not every valuable data resource can be transformed quite so easily; some require more elaborate transformation, and hence a more specialized recipe. Every effort is made to limit the number of recipes required. One strategy that helps with the principle of "zero curation": unless absolutely required, the "cooked" version of the data resource produced by a recipe is a simple and unembellished reflection of the original data in its downloaded form.

Author(s)

Dan Tenenbaum, Paul Shannon

AnnotationHubMetadata-class

Class "AnnotationHubMetadata" and methods

Description

AnnotationHubMetadata is used to represent record(s) in the server data base.

Usage

```
AnnotationHubMetadata(AnnotationHubRoot, SourceUrl, SourceType,
                      SourceVersion, SourceLastModifiedDate, SourceMd5 =
                      NA_character_, SourceSize, DataProvider, Title,
                      Description, Species, TaxonomyId, Genome, Tags,
                      Recipe, RDataClass, RDataDateAdded, RDataPath,
                      Maintainer, ..., BiocVersion = biocVersion(),
                      Coordinate_1_based = TRUE, Notes = NA_character_,
                      DispatchClass, Location_Prefix =
                      "http://s3.amazonaws.com/annotationhub/")

jsonPath(x)
toJson(x)
constructAnnotationHubMetadataFromSourceFilePath(ahroot, originalFile)
constructMetadataFromJsonPath(ahroot, jsonpath)
postProcessMetadata(ahm)
constructSeqInfo(species, genome)

inputFiles(object, ...)
outputFile(object)
ahmToJson(ahm)
deleteResources(id)
getImportPreparerClasses()
makeAnnotationHubResource(objName, makeAnnotationHubMetadataFunction,
                          ..., where)

tracksToUpdate()
updateResources(AnnotationHubRoot, BiocVersion,
                preparerClasses=getImportPreparerClasses(),
                insert=FALSE, metadataOnly=TRUE,
                justRunUnitTest=FALSE)
```

Arguments

AnnotationHubRoot	character(1) Absolute path to directory structure containing resources to be added to AnnotationHub
SourceUrl	character() URL where resource(s) can be found
SourceType	character() which indicates what kind of resource was initially processed. The preference is to name the type of resource if it's a single file type and to name where the resources came from if it is a compound resource. So Typical answers would be like: 'BED', 'FASTA' or 'Inparanoid' etc.
SourceVersion	character(1) Version of original file
SourceLastModifiedDate	POSIXct() The date when the source was last modified. Leaving this blank should allow the values to be retrieved for you (if your sourceURL is valid).
SourceMd5	character() md5 hash of original file
SourceSize	numeric(1) Number of bytes in original file

DataProvider	character(1) Where did this resource come from?
Title	character(1) Title for this resource
Description	character(1) Description of the resource
Species	character(1) Species name
TaxonomyId	character(1) NCBI code
Genome	character(1) Name of genome build
Tags	character() Free-form tags
Recipe	character(1) Name of recipe function
RDataClass	character(1) Class of derived object (e.g. 'GRanges')
RDataDateAdded	POSIXct() Date added to AnnotationHub. Used to determine snapshots.
RDataPath	character(1) file path to serialized form
Maintainer	character(1) Maintainer name and email address, 'A Maintainer <code>a.maintainer@email.addr</code> '
...	Additional arguments, passed directly to the class initialize method.
BiocVersion	character(1) Under which resource was built
Coordinate_1_based	logical(1) Do coordinates start with 1 or 0?
DispatchClass	character(1) string used to indicate which code should be called by the client when the resource is downloaded. This is often the same as the RDataClass. But it is allowed to be a different value so that the client can do something different internally if required.
Location_Prefix	character(1) This was added for resources where the metadata only is stored and the resource itself comes from a third party web site. The location prefix says the base path where the resource is coming from, and the default value will be from our own site.
Notes	character() Notes about the resource.
ahm	An instance of class AnnotationHubMetadata.
x	An instance of class AnnotationHubMetadata.
jsonpath	character(1) full path to a JSON representation of AnnotationHubMetadata-class.
ahroot	A character(1) representing the value of AnnotationHubRoot to be added to the returned instance.
originalFile	Acharacter(1)
object	An AnnotationHubRecipe instance.
species	character(1) The organism, e.g., "Homo sapiens".
genome	character(1) The genome build, e.g., "hg19".
id	An id whose DB record is to be fully deleted (from gamay - not production)
objName	character(1) The name of the preparerClass object that you intend to have be used for dispatch. You can call it whatever you want as long as you don't use an existing preparerClass name
makeAnnotationHubMetadataFunction	function This is not a string, but just the name of the function that makes AHMs out of your resource of choice.

preparerClasses	character() vector of preparerClasses (as strings) to try and update. Normally just one kind.
insert	logical() insert into the database or no?
metadataOnly	logical() process only the metadata? Or also run any associated recipe?
justRunUnitTest	logical() For supporting functions, this is a flag that can help to make testing much faster, normally FALSE, but when supported, set this to TRUE so that you only process the 1st few resources to make sure that recipe works.
where	the environment in which to store the definition. Default value is sufficient.

Value

AnnotationHubMetadata returns an instance of the class.

jsonPath returns a character(1) representation of the full path to the location of the json file associated with this record.

toJson returns the JSON representation of the record.

fromJson returns an instance of the class, as parsed from the JSON file.

Objects from the Class

Objects can be created by calls to the constructor, AnnotationHubMetadata().

Author(s)

Dan Tenenbaum and Marc Carlson

Examples

```
getClass("AnnotationHubMetadata")
```

ensemblFastaToFaFile *ensemblFastaToFaFile*

Description

Transform an Ensembl fasta file to a Bioconductor Rsamtools fa file.

Usage

```
ensemblFastaToFaFile(ahm)
```

Arguments

ahm an AnnotationHub object.

Details

The recipe takes the source file as specified in metadata(ahmeta)\$SourceFile, indexes the file, and returns the path of the index file.

Value

File path of the created RData file, `metadata(ahmeta)$RDataPath`.

Author(s)

Martin Morgan

See Also

`ensemblGtfToGRanges`, `extendedBedWithAuxiliaryTableToGRanges`, `extendedBedToGRanges`, `AnnotationHubRecipe`

flog

flog

Description

Write logging message to console and a file.

Usage

```
flog(level, ...)
```

Arguments

`level` A character(1) string object.
`...` Further arguments.

Details

Writes the message to the console and to a file.

Value

None.

Author(s)

Dan Tenenbaum

ImportPreparer-class *Class ImportPreparer and generic newResources*

Description

The ImportPreparer and derived classes are used for dispatch during data discovery (see [newResources](#)). There is one ImportPreparer class for each data source for [AnnotationHubMetadata](#).

`newResources` is a generic function; with methods implemented for each ImportPreparer.

Author(s)

Martin Morgan mtmorgan@fhcrc.org

See Also

[AnnotationHubMetadata](#).

Examples

```
names(getClassDef("ImportPreparer")@subclasses)
```

`upload_to_S3` *Upload a file to Amazon S3*

Description

This function is for uploading a file resource to the S3 cloud.

Usage

```
upload_to_S3(file, remotename,
             bucket=getOption("ANNOTATION_HUB_BUCKET_NAME", "annotationhub"),
             profile, acl="public-read")
```

Arguments

<code>file</code>	The file to upload.
<code>remotename</code>	The name this file should have in S3, including any "keys" that are part of the name. This should not start with a slash (if it does, the leading slash will be removed), but can contain forward slashes.
<code>bucket</code>	Name of the S3 bucket to copy to.
<code>profile</code>	Corresponds to a profile set in the config file for the AWS CLI (see the documentation). If this argument is omitted, the default profile is used.
<code>acl</code>	Should be one of <code>private</code> , <code>public-read</code> , or <code>public-read-write</code> .

Details

Uses the **AWS Command Line Interface** to copy a file to Amazon S3. Assumes the CLI is properly configured and that the `aws` program is in your `PATH`. The CLI should be configured with the credentials of a user who has permission to upload to the appropriate bucket. It's recommended to use **IAM** to set up users with limited permissions.

There is an `RAmazonS3` package but it seems to have issues uploading files to S3.

Value

TRUE on success. If the command fails, the function will exit with an error.

Author(s)

Dan Tenenbaum

Examples

```
## Not run:
upload_to_S3("myfile.txt", "foo/bar/baz/yourfile.txt")
# If this is successful, the file should be accessible at
# http://s3.amazonaws.com/annotationhub/foo/bar/baz/yourfile.txt

## End(Not run)
```


Index

*Topic **classes**

AnnotationHubMetadata-class, [2](#)
ensemblFastaToFaFile, [5](#)
flog, [6](#)
ImportPreparer-class, [7](#)

*Topic **package**

AnnotationHubRecipes-package, [2](#)

ahmToJson

(AnnotationHubMetadata-class),
[2](#)

amazon (upload_to_S3), [7](#)

AnnotationHubMetadata, [7](#)

AnnotationHubMetadata

(AnnotationHubMetadata-class),
[2](#)

AnnotationHubMetadata-class, [2](#)

AnnotationHubMetadataFromJson

(AnnotationHubMetadata-class),
[2](#)

AnnotationHubRecipes

(AnnotationHubRecipes-package),
[2](#)

AnnotationHubRecipes-package, [2](#)

annotationHubRoot

(ImportPreparer-class), [7](#)

AWS (upload_to_S3), [7](#)

constructAnnotationHubMetadataFromSourceFilePath

(AnnotationHubMetadata-class),
[2](#)

constructMetadataFromJsonPath

(AnnotationHubMetadata-class),
[2](#)

constructSeqInfo

(AnnotationHubMetadata-class),
[2](#)

dbSNPVCFImportPreparer

(ImportPreparer-class), [7](#)

dbSNPVCFImportPreparer-class

(ImportPreparer-class), [7](#)

deleteResources

(AnnotationHubMetadata-class),
[2](#)

EncodeImportPreparer

(ImportPreparer-class), [7](#)

EncodeImportPreparer-class

(ImportPreparer-class), [7](#)

EnsemblFastaImportPreparer

(ImportPreparer-class), [7](#)

EnsemblFastaImportPreparer-class

(ImportPreparer-class), [7](#)

ensemblFastaToFaFile, [5](#)

EnsemblGtfImportPreparer

(ImportPreparer-class), [7](#)

EnsemblGtfImportPreparer-class

(ImportPreparer-class), [7](#)

flog, [6](#)

getImportPreparerClasses

(AnnotationHubMetadata-class),
[2](#)

Grasp2ImportPreparer

(ImportPreparer-class), [7](#)

Grasp2ImportPreparer-class

(ImportPreparer-class), [7](#)

HaemCodeImportPreparer

(ImportPreparer-class), [7](#)

HaemCodeImportPreparer-class

(ImportPreparer-class), [7](#)

ImportPreparer-class, [7](#)

Inparanoid8ImportPreparer

(ImportPreparer-class), [7](#)

Inparanoid8ImportPreparer-class

(ImportPreparer-class), [7](#)

inputFiles

(AnnotationHubMetadata-class),
[2](#)

inputFiles, AnnotationHubMetadata-method

(AnnotationHubMetadata-class),
[2](#)

jsonPath (AnnotationHubMetadata-class),

[2](#)

- makeAnnotationHubResource
 (AnnotationHubMetadata-class),
 2
- metadata (AnnotationHubMetadata-class),
 2
- metadata, AnnotationHubMetadata, list-method
 (AnnotationHubMetadata-class),
 2
- metadata, AnnotationHubMetadata-method
 (AnnotationHubMetadata-class),
 2
- metadata<-
 (AnnotationHubMetadata-class),
 2
- metadata<-, AnnotationHubMetadata, list-method
 (AnnotationHubMetadata-class),
 2
- metadata<-, AnnotationHubMetadata-method
 (AnnotationHubMetadata-class),
 2
- metadataList (ImportPreparer-class), 7
- metadataTable (ImportPreparer-class), 7
- NCBIImportPreparer
 (ImportPreparer-class), 7
- NCBIImportPreparer-class
 (ImportPreparer-class), 7
- newResources, 7
- newResources (ImportPreparer-class), 7
- newResources, dbSNPVCFIImportPreparer-method
 (ImportPreparer-class), 7
- newResources, EncodeImportPreparer-method
 (ImportPreparer-class), 7
- newResources, EnsemblFastaImportPreparer-method
 (ImportPreparer-class), 7
- newResources, EnsemblGtfImportPreparer-method
 (ImportPreparer-class), 7
- newResources, Grasp2ImportPreparer-method
 (ImportPreparer-class), 7
- newResources, HaemCodeImportPreparer-method
 (ImportPreparer-class), 7
- newResources, ImportPreparer-method
 (ImportPreparer-class), 7
- newResources, Inparanoid8ImportPreparer-method
 (ImportPreparer-class), 7
- newResources, NCBIImportPreparer-method
 (ImportPreparer-class), 7
- newResources, RefNetImportPreparer-method
 (ImportPreparer-class), 7
- newResources, UCSCChainPreparer-method
 (ImportPreparer-class), 7
- newResources, UCSCFullTrackImportPreparer-method
 (ImportPreparer-class), 7
- newResources, UCSCTrackImportPreparer-method
 (ImportPreparer-class), 7
- outputFile
 (AnnotationHubMetadata-class),
 2
- outputFile, AnnotationHubMetadata-method
 (AnnotationHubMetadata-class),
 2
- postProcessMetadata
 (AnnotationHubMetadata-class),
 2
- recipeName
 (AnnotationHubMetadata-class),
 2
- recipeName, AnnotationHubMetadata-method
 (AnnotationHubMetadata-class),
 2
- RefNetImportPreparer
 (ImportPreparer-class), 7
- RefNetImportPreparer-class
 (ImportPreparer-class), 7
- run (AnnotationHubMetadata-class), 2
- run, AnnotationHubMetadata-method
 (AnnotationHubMetadata-class),
 2
- S3 (upload_to_S3), 7
- show (AnnotationHubMetadata-class), 2
- show, AnnotationHubMetadata-method
 (AnnotationHubMetadata-class),
 2
- show, ImportPreparer-method
 (ImportPreparer-class), 7
- sourceUrls (ImportPreparer-class), 7
- toJson (AnnotationHubMetadata-class), 2
- tracksToUpdate
 (AnnotationHubMetadata-class),
 2
- UCSCChainPreparer
 (ImportPreparer-class), 7
- UCSCChainPreparer-class
 (ImportPreparer-class), 7
- UCSCTrackImportPreparer
 (ImportPreparer-class), 7
- UCSCTrackImportPreparer-class
 (ImportPreparer-class), 7
- updateResources
 (AnnotationHubMetadata-class),
 2
- upload_to_S3, 7