

Package ‘CuratedAtlasQueryR’

September 18, 2024

Type Package

Title Queries the Human Cell Atlas

Version 1.3.0

Description Provides access to a copy of the Human Cell Atlas, but with harmonised metadata. This allows for uniform querying across numerous datasets within the Atlas using common fields such as cell type, tissue type, and patient ethnicity. Usage involves first querying the metadata table for cells of interest, and then downloading the corresponding cells into a SingleCellExperiment object.

License GPL-3

Depends R (>= 4.2.0)

Imports dplyr, SummarizedExperiment, SingleCellExperiment, purrr (>= 1.0.0), BiocGenerics, glue, HDF5Array, DBI, tools, httr, cli, assertthat, SeuratObject, Seurat, methods, rlang, stats, S4Vectors, tibble, utils, dbplyr (>= 2.3.0), duckdb, stringr

Suggests zellkonverter, rmarkdown, knitr, testthat, basilisk, arrow, reticulate, spelling, forcats, ggplot2, tidySingleCellExperiment, rprojroot

Biarch true

biocViews AssayDomain, Infrastructure, RNASeq, DifferentialExpression, GeneExpression, Normalization, Clustering, QualityControl, Sequencing, Transcription, Transcriptomics

Encoding UTF-8

RoxygenNote 7.2.3

LazyDataCompression xz

URL <https://github.com/stemangiola/CuratedAtlasQueryR>

BugReports <https://github.com/stemangiola/CuratedAtlasQueryR/issues>

VignetteBuilder knitr

Roxygen list(markdown = TRUE)

Collate 'utils.R' 'counts.R' 'dev.R' 'metadata.R' 'seurat.R' 'unharmonised.R' 'zzz.R'

Language en-US

git_url <https://git.bioconductor.org/packages/CuratedAtlasQueryR>

git_branch devel

git_last_commit 73d995f

git_last_commit_date 2024-04-30

Repository Bioconductor 3.20

Date/Publication 2024-09-18

Author Stefano Mangiola [aut, cre, rev]

(<<https://orcid.org/0000-0001-7474-836X>>),

Michael Milton [aut, rev] (<<https://orcid.org/0000-0002-8965-2595>>),

Martin Morgan [ctb, rev],

Vincent Carey [ctb, rev],

Julie Iskander [rev],

Tony Papenfuss [rev],

Silicon Valley Foundation CZF2019-002443 [fnd],

NIH NHGRI 5U24HG004059-18 [fnd],

Victoria Cancer Agency ECRF21036 [fnd],

NHMRC 1116955 [fnd]

Maintainer Stefano Mangiola <mangiolastefano@gmail.com>

Contents

DATABASE_URL	2
get_default_cache_dir	3
get_metadata	3
get_seurat	5
get_SingleCellExperiment	6
get_single_cell_experiment	7
get_unharmonised_dataset	8
get_unharmonised_metadata	9
hdf5_to_anndata	10
read_parquet	10
report_file_sizes	11
SAMPLE_DATABASE_URL	11
single_line_str	12
sync_remote_file	12
update_database	12
update_unharmonised	13
upload_swift	14
url_file_size	15
Index	16

DATABASE_URL

URL pointing to the full metadata file

Description

URL pointing to the full metadata file

Usage

`DATABASE_URL`

Format

An object of class character of length 1.

Value

A character scalar consisting of the URL

Examples

```
get_metadata(remote_url = DATABASE_URL)
```

`get_default_cache_dir` *Returns the default cache directory*

Description

Returns the default cache directory

Usage

```
get_default_cache_dir()
```

Value

A length one character vector.

`get_metadata` *Gets the Curated Atlas metadata as a data frame.*

Description

Downloads a parquet database of the Human Cell Atlas metadata to a local cache, and then opens it as a data frame. It can then be filtered and passed into `get_single_cell_experiment()` to obtain a `SingleCellExperiment::SingleCellExperiment`

Usage

```
get_metadata(  
  remote_url = DATABASE_URL,  
  cache_directory = get_default_cache_dir(),  
  use_cache = TRUE  
)
```

Arguments

remote_url	Optional character vector of length 1. An HTTP URL pointing to the location of the parquet database.
cache_directory	Optional character vector of length 1. A file path on your local system to a directory (not a file) that will be used to store metadata.parquet
use_cache	Optional logical scalar. If TRUE (the default), and this function has been called before with the same parameters, then a cached reference to the table will be returned. If FALSE, a new connection will be created no matter what.

Details

The metadata was collected from the Bioconductor package `cellxgenedp`. its vignette `using_cellxgenedp` provides an overview of the columns in the metadata. The data for which the column `organism_name` included "Homo sapiens" was collected collected from `cellxgenedp`.

The columns `dataset_id` and `file_id` link the datasets explorable through `CuratedAtlasQueryR` and `cellxgenedp` to the CELLxGENE portal.

Our representation, harmonises the metadata at dataset, sample and cell levels, in a unique coherent database table.

Dataset-specific columns (definitions available at cellxgene.cziscience.com) `cell_count`, `collection_id`, `created_at.x`, `created_at.y`, `dataset_deployments`, `dataset_id`, `file_id`, `filename`, `filetype`, `is_primary_data.y`, `is_valid`, `linked_genesets`, `mean_genes_per_cell`, `name`, `published`, `published_at`, `revised_at`, `revision`, `s3_uri`, `schema_version`, `tombstone`, `updated_at.x`, `updated_at.y`, `user_submitted`, `x_normalization`

Sample-specific columns (definitions available at cellxgene.cziscience.com)

`sample_.`, `sample_name`, `age_days`, `assay`, `assay_ontology_term_id`, `development_stage`, `development_stage_ontology_term_id`, `ethnicity`, `ethnicity_ontology_term_id`, `experiment_.`, `organism`, `organism_ontology_term_id`, `sample_placeholder`, `sex`, `sex_ontology_term_id`, `tissue`, `tissue_harmonised`, `tissue_ontology_term_id`, `disease`, `disease_ontology_term_id`, `is_primary_data.x`

Cell-specific columns (definitions available at cellxgene.cziscience.com)

`cell_.`, `cell_type`, `cell_type_ontology_term_id`, `cell_type_harmonised`, `confidence_class`, `cell_annotation_azimuth_l2`, `cell_annotation_blueprint_singler`

Through harmonisation and curation we introduced custom column, not present in the original CELLxGENE metadata

- `tissue_harmonised`: a coarser tissue name for better filtering
- `age_days`: the number of days corresponding to the age
- `cell_type_harmonised`: the consensus call identity (for immune cells) using the original and three novel annotations using Seurat Azimuth and SingleR
- `confidence_class`: an ordinal class of how confident `cell_type_harmonised` is. 1 is complete consensus, 2 is 3 out of four and so on.
- `cell_annotation_azimuth_l2`: Azimuth cell annotation
- `cell_annotation_blueprint_singler`: SingleR cell annotation using Blueprint reference
- `cell_annotation_blueprint_monaco`: SingleR cell annotation using Monaco reference
- `sample_id_db`: Sample subdivision for internal use
- `file_id_db`: File subdivision for internal use
- `sample_.`: Sample ID

- `.sample_name`: How samples were defined

Possible cache path issues

If your default R cache path includes non-standard characters (e.g. dash because of your user or organisation name), the following error can manifest

```
Error in db_query_fields.DBIConnection(): ! Can't query fields. Caused by error: ! Parser
Error: syntax error at or near "/" LINE 2: FROM /Users/bob/Library/Caches...
```

The solution is to choose a different cache, for example

```
get_metadata(cache_directory = path.expand('~'))
```

Value

A lazy `data.frame` subclass containing the metadata. You can interact with this object using most standard `dplyr` functions. For string matching, it is recommended that you use `stringr::str_like` to filter character columns, as `stringr::str_match` will not work.

Examples

```
library(dplyr)
filtered_metadata <- get_metadata() |>
  filter(
    ethnicity == "African" &
    assay %LIKE% "%10x%" &
    tissue == "lung parenchyma" &
    cell_type %LIKE% "%CD4%"
  )
```

get_seurat

Given a data frame of HCA metadata, returns a Seurat object corresponding to the samples in that data frame

Description

Given a data frame of HCA metadata, returns a Seurat object corresponding to the samples in that data frame

Usage

```
get_seurat(...)
```

Arguments

- ... Arguments passed on to [get_single_cell_experiment](#)
- `data` A data frame containing, at minimum, a `sample_` column, which corresponds to a single cell sample ID. This can be obtained from the [get_metadata\(\)](#) function.
- `assays` A character vector whose elements must be either "counts" and/or "cpm", representing the corresponding assay(s) you want to request. By default only the count assay is downloaded. If you are interested in comparing a limited amount of genes, the "cpm" assay is more appropriate.

repository A character vector of length one. If provided, it should be an HTTP URL pointing to the location where the single cell data is stored.

cache_directory An optional character vector of length one. If provided, it should indicate a local file path where any remotely accessed files should be copied.

features An optional character vector of features (ie genes) to return the counts for. By default counts for all features will be returned.

Value

A Seurat object containing the same data as a call to `get_single_cell_experiment()`

Examples

```
meta <- get_metadata() |> head(2)
seurat <- get_seurat(meta)
```

get_SingleCellExperiment

Gets a SingleCellExperiment from curated metadata

Description

Given a data frame of Curated Atlas metadata obtained from `get_metadata()`, returns a `SingleCellExperiment::SingleCellExperiment` object corresponding to the samples in that data frame

Usage

```
get_SingleCellExperiment(...)
```

Arguments

... Arguments passed on to `get_single_cell_experiment`

data A data frame containing, at minimum, a `sample_` column, which corresponds to a single cell sample ID. This can be obtained from the `get_metadata()` function.

assays A character vector whose elements must be either "counts" and/or "cpm", representing the corresponding assay(s) you want to request. By default only the count assay is downloaded. If you are interested in comparing a limited amount of genes, the "cpm" assay is more appropriate.

repository A character vector of length one. If provided, it should be an HTTP URL pointing to the location where the single cell data is stored.

cache_directory An optional character vector of length one. If provided, it should indicate a local file path where any remotely accessed files should be copied.

features An optional character vector of features (ie genes) to return the counts for. By default counts for all features will be returned.

Value

A `SingleCellExperiment` object, with one assay for each value in the `assays` argument

Examples

```
meta <- get_metadata() |> head(2)
sce <- get_single_cell_experiment(meta)
```

```
get_single_cell_experiment
```

Gets a SingleCellExperiment from curated metadata

Description

Given a data frame of Curated Atlas metadata obtained from `get_metadata()`, returns a `SingleCellExperiment::SingleCellExperiment` object corresponding to the samples in that data frame

Usage

```
get_single_cell_experiment(
  data,
  assays = "counts",
  cache_directory = get_default_cache_dir(),
  repository = COUNTS_URL,
  features = NULL
)
```

Arguments

<code>data</code>	A data frame containing, at minimum, a <code>sample_</code> column, which corresponds to a single cell sample ID. This can be obtained from the <code>get_metadata()</code> function.
<code>assays</code>	A character vector whose elements must be either "counts" and/or "cpm", representing the corresponding assay(s) you want to request. By default only the count assay is downloaded. If you are interested in comparing a limited amount of genes, the "cpm" assay is more appropriate.
<code>cache_directory</code>	An optional character vector of length one. If provided, it should indicate a local file path where any remotely accessed files should be copied.
<code>repository</code>	A character vector of length one. If provided, it should be an HTTP URL pointing to the location where the single cell data is stored.
<code>features</code>	An optional character vector of features (ie genes) to return the counts for. By default counts for all features will be returned.

Value

A `SingleCellExperiment` object, with one assay for each value in the `assays` argument

Examples

```
meta <- get_metadata() |> head(2)
sce <- get_single_cell_experiment(meta)
```

```
get_unharmonised_dataset
```

Returns unharmonised metadata for selected datasets.

Description

Various metadata fields are *not* common between datasets, so it does not make sense for these to live in the main metadata table. This function is a utility that allows easy fetching of this data if necessary.

Usage

```
get_unharmonised_dataset(
  dataset_id,
  cells = NULL,
  conn = dbConnect(drv = duckdb(), read_only = TRUE),
  remote_url = UNHARMONISED_URL,
  cache_directory = get_default_cache_dir()
)
```

Arguments

<code>dataset_id</code>	A character vector, where each entry is a dataset ID obtained from the <code>\$file_id</code> column of the table returned from <code>get_metadata()</code>
<code>cells</code>	An optional character vector of cell IDs. If provided, only metadata for those cells will be returned.
<code>conn</code>	An optional DuckDB connection object. If provided, it will re-use the existing connection instead of opening a new one.
<code>remote_url</code>	Optional character vector of length 1. An HTTP URL pointing to the root URL under which all the unharmonised dataset files are located.
<code>cache_directory</code>	Optional character vector of length 1. A file path on your local system to a directory (not a file) that will be used to store the unharmonised metadata files.

Value

A named list, where each name is a dataset file ID, and each value is a "lazy data frame", ie a tbl.

Examples

```
dataset <- "838ea006-2369-4e2c-b426-b2a744a2b02b"
harmonised_meta <- get_metadata() |>
  dplyr::filter(file_id == dataset) |> dplyr::collect()
unharmonised_meta <- get_unharmonised_dataset(dataset)
unharmonised_tbl <- dplyr::collect(unharmonised_meta[[dataset]])
dplyr::left_join(harmonised_meta, unharmonised_tbl, by=c("file_id", "cell_"))
```

`get_unharmonised_metadata`*Returns unharmonised metadata for a metadata query*

Description

Various metadata fields are *not* common between datasets, so it does not make sense for these to live in the main metadata table. This function is a utility that allows easy fetching of this data if necessary.

Usage

```
get_unharmonised_metadata(metadata, ...)
```

Arguments

<code>metadata</code>	A lazy data frame obtained from <code>get_metadata()</code> , filtered down to some cells of interest
<code>...</code>	Arguments passed on to <code>get_unharmonised_dataset</code>
<code>dataset_id</code>	A character vector, where each entry is a dataset ID obtained from the <code>file_id</code> column of the table returned from <code>get_metadata()</code>
<code>cells</code>	An optional character vector of cell IDs. If provided, only metadata for those cells will be returned.
<code>conn</code>	An optional DuckDB connection object. If provided, it will re-use the existing connection instead of opening a new one.
<code>remote_url</code>	Optional character vector of length 1. An HTTP URL pointing to the root URL under which all the unharmonised dataset files are located.
<code>cache_directory</code>	Optional character vector of length 1. A file path on your local system to a directory (not a file) that will be used to store the unharmonised metadata files.

Value

A tibble with two columns:

- `file_id`: the same `file_id` as the main metadata table obtained from `get_metadata()`
- `unharmonised`: a nested tibble, with one row per cell in the input metadata, containing unharmonised metadata

Examples

```
harmonised <- dplyr::filter(get_metadata(), tissue == "kidney blood vessel")
unharmonised <- get_unharmonised_metadata(harmonised)
```

hdf5_to_anndata	<i>Converts a series of HDF5Array-serialized SingleCellExperiments to AnnData</i>
-----------------	---

Description

Converts a series of HDF5Array-serialized SingleCellExperiments to AnnData

Usage

```
hdf5_to_anndata(input_directory, output_directory)
```

Arguments

`input_directory`
A character scalar. The path to a directory containing one or more directories created by `HDF5Array::saveHDF5SummarizedExperiment()`.

`output_directory`
A character scalar. The path to a directory in which to save the created anndata files.

Value

A character vector of the newly-created anndata files

Examples

```
hdf5_to_anndata(
  "/vast/projects/cellxgene_curated/splitted_DB2_data_0.2.1",
  "/vast/projects/cellxgene_curated/splitted_DB2_anndata_0.2.1"
)
hdf5_to_anndata(
  "/vast/projects/cellxgene_curated/splitted_DB2_data_scaled_0.2.1",
  "/vast/projects/cellxgene_curated/splitted_DB2_anndata_scaled_0.2.1"
)
```

read_parquet	<i>Returns a tibble from a parquet file path</i>
--------------	--

Description

Since dbplyr 2.4.0, raw file paths aren't handled very well See: <https://github.com/duckdb/duckdb-r/issues/38> Hence the need for this method

Usage

```
read_parquet(conn, path)
```

Value

An SQL data frame

report_file_sizes	<i>Prints a message indicating the size of a download</i>
-------------------	---

Description

Prints a message indicating the size of a download

Usage

```
report_file_sizes(urls)
```

Arguments

urls	A character vector containing URLs
------	------------------------------------

Value

NULL, invisibly

SAMPLE_DATABASE_URL	<i>URL pointing to the sample metadata file, which is smaller and for test, demonstration, and vignette purposes only</i>
---------------------	---

Description

URL pointing to the sample metadata file, which is smaller and for test, demonstration, and vignette purposes only

Usage

```
SAMPLE_DATABASE_URL
```

Format

An object of class character of length 1.

Value

A character scalar consisting of the URL

Examples

```
get_metadata(remote_url = SAMPLE_DATABASE_URL)
```

single_line_str	<i>Formats a multi-line string as if it were on one line</i>
-----------------	--

Description

Formats a multi-line string as if it were on one line

Usage

```
single_line_str(text)
```

Arguments

text	Any character vector
------	----------------------

Value

The same character vector, with newlines and subsequent whitespace removed

sync_remote_file	<i>Synchronises a single remote file with a local path</i>
------------------	--

Description

Synchronises a single remote file with a local path

Usage

```
sync_remote_file(full_url, output_file, ...)
```

Value

NULL, invisibly

update_database	<i>Update the metadata database in nectar using a newly created data frame</i>
-----------------	--

Description

Update the metadata database in nectar using a newly created data frame

Usage

```
update_database(metadata, version, ...)
```

Arguments

metadata	The data frame to upload
version	The version for the new metadata as a character scalar, e.g. "0.2.3"
...	Arguments passed on to upload_swift
source	A character scalar indicating the local path to the file to upload
container	A character scalar indicating the name of the container to upload to
name	An optional character scalar indicating the name the file should have after being uploaded. Defaults to being the basename of the source file.
credential_id	The OpenStack application credential secret as a character scalar

Value

NULL, invisibly

Examples

```
## Not run:
metadata = CuratedAtlasQueryR::get_metadata() |>
  head(10) |>
  dplyr::collect()
update_database(
  metadata,
  "0.2.3",
  credential_id = "ABCDEFGHIJK",
  credential_secret = "ABCD1234EFGH-5678IJK"
)
# Prints "metadata.0.2.3.parquet" if successful

## End(Not run)
```

update_unharmonised *Update the unharmonised parquet files*

Description

Update the unharmonised parquet files

Usage

```
update_unharmonised(unharmonised_parquet_dir, ...)
```

Arguments

unharmonised_parquet_dir	The path to a directory containing parquet files, one for each dataset, e.g. /vast/projects/cellxgene_curated
...	Arguments passed on to upload_swift
source	A character scalar indicating the local path to the file to upload
container	A character scalar indicating the name of the container to upload to
name	An optional character scalar indicating the name the file should have after being uploaded. Defaults to being the basename of the source file.
credential_id	The OpenStack application credential secret as a character scalar

Value

NULL, invisibly

Examples

```
## Not run:
update_unharmonised(
  "/vast/projects/cellxgene_curated/metadata_non_harmonised_parquet_0.2",
  credential_id = "ABCDEFGHIJK",
  credential_secret = "ABCD1234EFGH-5678IJK"
)

## End(Not run)
```

upload_swift

Upload a file to the Nectar object store

Description

Upload a file to the Nectar object store

Usage

```
upload_swift(
  source,
  container,
  name = basename(source),
  credential_id = NULL,
  credential_secret = NULL
)
```

Arguments

source	A character scalar indicating the local path to the file to upload
container	A character scalar indicating the name of the container to upload to
name	An optional character scalar indicating the name the file should have after being uploaded. Defaults to being the basename of the source file.
credential_id	The OpenStack application credential secret as a character scalar

Value

NULL, invisibly

url_file_size	<i>Gets the file size of a number of remote files</i>
---------------	---

Description

Gets the file size of a number of remote files

Usage

```
url_file_size(urls)
```

Arguments

urls A character vector containing URLs

Value

The file size of each of the files pointed to by the provided URL, in gigabytes, as double vector

Index

* datasets

DATABASE_URL, 2
SAMPLE_DATABASE_URL, 11

* internal

get_default_cache_dir, 3
hdf5_to_anndata, 10
read_parquet, 10
report_file_sizes, 11
single_line_str, 12
sync_remote_file, 12
update_database, 12
update_unharmonised, 13
upload_swift, 14
url_file_size, 15

DATABASE_URL, 2

get_default_cache_dir, 3
get_metadata, 3
get_metadata(), 5–9
get_seurat, 5
get_single_cell_experiment, 5, 6, 7
get_single_cell_experiment(), 3, 6
get_SingleCellExperiment, 6
get_unharmonised_dataset, 8, 9
get_unharmonised_metadata, 9

hdf5_to_anndata, 10
HDF5Array::saveHDF5SummarizedExperiment(),
10

read_parquet, 10
report_file_sizes, 11

SAMPLE_DATABASE_URL, 11
single_line_str, 12
SingleCellExperiment::SingleCellExperiment,
3, 6, 7
sync_remote_file, 12

update_database, 12
update_unharmonised, 13
upload_swift, 13, 14
url_file_size, 15