

Package ‘tenXplore’

September 19, 2024

Title ontological exploration of scRNA-seq of 1.3 million mouse neurons from 10x genomics

Description

Perform ontological exploration of scRNA-seq of 1.3 million mouse neurons from 10x genomics.

Version 1.27.2

Author Vince Carey

Suggests org.Hs.eg.db, testthat, knitr, rmarkdown, BiocStyle

Depends R (>= 4.0), shiny

Imports methods, ontoProc (>= 0.99.7), SummarizedExperiment, AnnotationDbi, matrixStats, org.Mm.eg.db, stats, utils, BiocFileCache

Maintainer VJ Carey <stvjc@channing.harvard.edu>

License Artistic-2.0

LazyLoad yes

biocViews ImmunoOncology, DimensionReduction, PrincipalComponent, Transcriptomics, SingleCell

VignetteBuilder knitr

RoxygenNote 7.3.2

git_url <https://git.bioconductor.org/packages/tenXplore>

git_branch devel

git_last_commit bf70bc8

git_last_commit_date 2024-07-31

Repository Bioconductor 3.20

Date/Publication 2024-09-18

Contents

CellTypes	2
se1.3M	2
tenx500	3
tenXplore	3
Index	4

CellTypes	<i>cellTypes: data.frame with ids and terms</i>
-----------	---

Description

cellTypes: data.frame with ids and terms

Usage

```
CellTypes
```

Format

TermSet instance

Source

efo.owl, August 2017, subclasses of http://www.ebi.ac.uk/efo/EF0_0000324

Examples

```
data(CellTypes)
head(slot(CellTypes, "cleanFrame"))
```

se1.3M	<i>add/retrieve HSDS-based SE to/from cache</i>
--------	---

Description

add/retrieve HSDS-based SE to/from cache

Usage

```
se1.3M(cache = BiocFileCache::BiocFileCache())
```

Arguments

cache BiocFileCache-like cache

tenx500	<i>tenx500: serialized full SummarizedExperiment for demonstration</i>
---------	--

Description

tenx500: serialized full SummarizedExperiment for demonstration

Usage

```
tenx500
```

Format

SummarizedExperiment instance

Source

restfulSE se1.3M pared down to 500 samples, assay materialized and assigned

Examples

```
data(tenx500)
tenx500
```

tenXplore	<i>basic shiny interface to 10x data with ontological setup for cell selection</i>
-----------	--

Description

basic shiny interface to 10x data with ontological setup for cell selection

Usage

```
tenXplore()
```

Value

shiny app invocation

Note

Starts slowly as it sets up connection to HDF Server.

Examples

```
tenXplore
```

Index

* datasets

CellTypes, [2](#)
tenx500, [3](#)

CellTypes, [2](#)

se1.3M, [2](#)

tenx500, [3](#)

tenXplore, [3](#)