

# Package ‘breastCancerMAINZ’

November 7, 2024

**Type** Package

**Title** Gene expression dataset published by Schmidt et al. [2008] (MAINZ).

**Version** 1.44.0

**Date** 2011-02-10

**Description** Gene expression data from the breast cancer study published by Schmidt et al. in 2008, provided as an eSet.

**biocViews** ExperimentData, CancerData, BreastCancerData, MicroarrayData, GEO

**Author** Markus Schroeder, Benjamin Haibe-Kains, Aedin Culhane, Christos Sotiriou, Gianluca Bontempi, John Quackenbush

**Maintainer** Markus Schroeder <mschroed@jimmy.harvard.edu>, Benjamin Haibe-Kains <bhaibeka@jimmy.harvard.edu>

**Depends** R (>= 2.5.0)

**Suggests** survcomp, genefu, Biobase

**LazyLoad** yes

**License** Artistic-2.0

**URL** <http://compbio.dfci.harvard.edu/>

**git\_url** <https://git.bioconductor.org/packages/breastCancerMAINZ>

**git\_branch** RELEASE\_3\_20

**git\_last\_commit** 2d6d11a

**git\_last\_commit\_date** 2024-10-29

**Repository** Bioconductor 3.20

**Date/Publication** 2024-11-07

## Contents

mainz . . . . .	2
<b>Index</b>	<b>4</b>

---

mainz	<i>Gene expression, annotations and clinical data from Schmidt et al. 2008</i>
-------	--

---

## Description

This dataset contains the gene expression, annotations and clinical data as published in Schmidt et al. 2008.

## Usage

```
data(mainz)
```

## Format

ExpressionSet with 22283 features and 200 samples, containing:

- `exprs(mainz)`: Matrix containing gene expressions as measured by Affymetrix hgu133a technology (single-channel, oligonucleotides).
- `fData(mainz)`: AnnotatedDataFrame containing annotations of Affy microarray platform hgu133a.
- `pData(mainz)`: AnnotatedDataFrame containing Clinical information of the breast cancer patients whose tumors were hybridized.
- `experimentalData(mainz)`: MIAME object containing information about the dataset.
- `annotation(mainz)`: Name of the affy chip.

## Details

This dataset represents the study published by Schmidt et al. 2008.

- **Abstract:** Estrogen receptor (ER) expression and proliferative activity are established prognostic factors in breast cancer. In a search for additional prognostic motifs, we analyzed the gene expression patterns of 200 tumors of patients who were not treated by systemic therapy after surgery using a discovery approach. After performing hierarchical cluster analysis, we identified coregulated genes related to the biological process of proliferation, steroid hormone receptor expression, as well as B-cell and T-cell infiltration. We calculated metagenes as a surrogate for all genes contained within a particular cluster and visualized the relative expression in relation to time to metastasis with principal component analysis. Distinct patterns led to the hypothesis of a prognostic role of the immune system in tumors with high expression of proliferation-associated genes. In multivariate Cox regression analysis, the proliferation metagene showed a significant association with metastasis-free survival of the whole discovery cohort [hazard ratio (HR), 2.20; 95% confidence interval (95% CI), 1.40-3.46]. The B-cell metagene showed additional independent prognostic information in carcinomas with high proliferative activity (HR, 0.66; 95% CI, 0.46-0.97). A prognostic influence of the B-cell metagene was independently confirmed by multivariate analysis in a first validation cohort enriched for high-grade tumors (n = 286; HR, 0.78; 95% CI, 0.62-0.98) and a second validation cohort enriched for younger patients (n = 302; HR, 0.83; 95% CI, 0.7-0.97). Thus, we could show in three cohorts of untreated, node-negative breast cancer patients that the humoral immune system plays a pivotal role in metastasis-free survival of carcinomas of the breast.

**Source**

<http://www.ncbi.nlm.nih.gov/geo/query/acc.cgi?acc=GSE11121>

**References**

Marcus Schmidt and Daniel Boehm and Christian von Toerne and Eric Steiner and Alexander Puhl and Heryk Pilch and Hans-Anton Lehr and Jan G. Hengstler and Hainz Koelbl and Mathias Gehrmann (2008) "The Humoral Immune System Has a Key Prognostic Impact in Node-Negative Breast Cancer", *Cancer Research*, **68**(13):5405-5413

**Examples**

```
## load Biobase package
library(Biobase)
## load the dataset
data(mainz)
## show the first 5 rows and columns of the expression data
exprs(mainz)[1:5,1:5]
## show the first 6 rows of the phenotype data
head(pData(mainz))
## show first 20 feature names
featureNames(mainz)[1:20]
## show the experiment data summary
experimentData(mainz)
## show the used platform
annotation(mainz)
## show the abstract for this dataset
abstract(mainz)
```

# Index

\* **datasets**  
    mainz, 2

mainz, 2