

Package ‘progeny’

April 16, 2019

Title Pathway RespOnsive GENes for activity inference from gene expression

Version 1.4.1

Author Michael Schubert <mschu.dev@gmail.com>

Maintainer Michael Schubert <mschu.dev@gmail.com>

Description This package provides a function to infer pathway activity from gene expression using PROGENy. It contains the linear model we inferred in the publication “Perturbation-response genes reveal signaling footprints in cancer gene expression”.

URL <https://github.com/saezlab/progeny>

BugReports <https://github.com/saezlab/progeny/issues>

Depends R (>= 3.4.0)

Imports Biobase

biocViews SystemsBiology, GeneExpression, FunctionalPrediction, GeneRegulation

License Apache License (== 2.0) | file LICENSE

LazyData true

Encoding UTF-8

Suggests airway, biomaRt, BiocFileCache, broom, DESeq2, dplyr, knitr, readr, readxl

VignetteBuilder knitr

RoxygenNote 6.0.1

git_url <https://git.bioconductor.org/packages/progeny>

git_branch RELEASE_3_8

git_last_commit e5551a6

git_last_commit_date 2019-04-10

Date/Publication 2019-04-15

R topics documented:

model	2
progeny	2
Index	4

model	<i>The linear model underlying PROGENy</i>
-------	--

Description

HGNC gene symbols in rows, pathways in columns. Pathway activity inference works by a matrix multiplication of gene expression with the model.

Usage

```
model
```

Format

An object of class `matrix` with 1059 rows and 11 columns.

Source

<http://biorxiv.org/content/early/2016/08/28/065672>

progeny	<i>Calculate PROGENy pathway scores from gene expression</i>
---------	--

Description

This function uses the linear model of pathway-responsive genes underlying the PROGENy method. It transforms a gene expression matrix with HGNC gene symbols in rows and sample names in columns into a pathway score matrix with samples and in rows and pathways in columns.

This function uses the linear model of pathway-responsive genes underlying the PROGENy method. It transforms a gene expression matrix with HGNC gene symbols in rows and sample names in columns into a pathway score matrix with samples and in rows and pathways in columns.

Usage

```
progeny(expr, scale = TRUE)
```

Arguments

expr	A gene expression object with HGNC symbols in rows and samples in columns
scale	Logical value indicating whether to scale the scores of each pathway to have a mean of zero and standard deviation of one

Details

The publication of the method is available at: <https://www.biorxiv.org/content/early/2016/08/28/065672>

The supplied expression object has to contain HGNC symbols in rows. This will, in most cases (and how we originally used it), be either normalized gene expression of a microarray experiment or log-transformed (and possible variance-stabilized) counts from an RNA-seq experiment.

The model matrix itself consists of 11 pathways and 1059 genes. Its coefficients are non-zero if the gene-pathway pair corresponds to the top 100 genes that were up-regulated upon stimulation of the pathway in a wide range of experiments. The value corresponds to the fitted z-score across experiments in our model fit. Only rows with at least one non-zero coefficient were included, as the rest is not used to infer pathway activity.

Value

A matrix with samples in columns and pathways in rows

Examples

```
# use your gene expression matrix here, this is just for illustration
gene_expression = matrix(rep(1, nrow(model)),
  dimnames=list(rownames(model), "sample"))

# calculate pathway activities
pathways = progeny(gene_expression)
```

Index

*Topic **datasets**

model, [2](#)

model, [2](#)

progeny, [2](#)

progeny-package (progeny), [2](#)