

Package ‘miRNATarget’

November 19, 2024

Title gene target tabale of miRNA for human/mouse used for MiRaGE package

Version 1.45.0

Author Y-h. Taguchi <tag@granular.com>

Description gene target tabale of miRNA for human/mouse used for MiRaGE package

Maintainer Y-h. Taguchi <tag@granular.com>

Depends R (>= 2.10), Biobase

License GPL

biocViews ExperimentData, Homo_sapiens_Data

git_url <https://git.bioconductor.org/packages/miRNATarget>

git_branch devel

git_last_commit fd195d7

git_last_commit_date 2024-10-29

Repository Bioconductor 3.21

Date/Publication 2024-11-19

Contents

conv_id	4
HS_conv_id	5
HS_refseq_to_affy_hc_g110	6
HS_refseq_to_affy_hg_focus	7
HS_refseq_to_affy_hg_u133a	8
HS_refseq_to_affy_hg_u133a_2	9
HS_refseq_to_affy_hg_u133b	10
HS_refseq_to_affy_hg_u133_plus_2	11
HS_refseq_to_affy_hg_u95a	12
HS_refseq_to_affy_hg_u95av2	13
HS_refseq_to_affy_hg_u95b	14
HS_refseq_to_affy_hg_u95c	15
HS_refseq_to_affy_hg_u95d	16

HS_refseq_to_affy_hg_u95e	17
HS_refseq_to_affy_huex_1_0_st_v2	18
HS_refseq_to_affy_hugeneffl	19
HS_refseq_to_affy_hugene_1_0_st_v1	20
HS_refseq_to_affy_u133_x3p	21
HS_refseq_to_agilent_cgh_44b	22
HS_refseq_to_agilent_wholegenome	23
HS_refseq_to_canonical_transcript_stable_id	24
HS_refseq_to_ccds	25
HS_refseq_to_codelink	25
HS_refseq_to_embl	26
HS_refseq_to_ensembl_gene_id	27
HS_refseq_to_ensembl_peptide_id	28
HS_refseq_to_ensembl_transcript_id	29
HS_refseq_to_entrezgene	30
HS_refseq_to_hgnc_id	31
HS_refseq_to_hgnc_symbol	31
HS_refseq_to_hgnc_transcript_name	32
HS_refseq_to_HS_refseq_to_efg_agilent_sureprint_g3_ge_8x60k	33
HS_refseq_to_HS_refseq_to_efg_agilent_wholegenome_4x44k_v1	34
HS_refseq_to_HS_refseq_to_efg_agilent_wholegenome_4x44k_v2	35
HS_refseq_to_HS_refseq_to_ensembl_exon_id	36
HS_refseq_to_HS_refseq_to_uniprot_genename_transcript_name	37
HS_refseq_to_HS_refseq_to_uniprot_sptrembl	38
HS_refseq_to_HS_refseq_to_uniprot_swissprot	39
HS_refseq_to_HS_refseq_to_uniprot_swissprot_accession	40
HS_refseq_to_HS_refseq_to_wikigene_id	41
HS_refseq_to_illumina_humanht_12	42
HS_refseq_to_illumina_humanwg_6_v1	43
HS_refseq_to_illumina_humanwg_6_v2	44
HS_refseq_to_illumina_humanwg_6_v3	45
HS_refseq_to_interpro	46
HS_refseq_to_ipi	46
HS_refseq_to_merops	47
HS_refseq_to_pdb	48
HS_refseq_to_pfam	49
HS_refseq_to_phalanx_onearray	49
HS_refseq_to_protein_id	50
HS_refseq_to_refseq_dna	51
HS_refseq_to_refseq_genomic	52
HS_refseq_to_refseq_peptide	53
HS_refseq_to_rfam	54
HS_refseq_to_rfam_gene_name	54
HS_refseq_to_rfam_transcript_name	55
HS_refseq_to_smart	56
HS_refseq_to_tigrfam	57
HS_refseq_to_ucsc	58
HS_refseq_to_unigene	58

HS_refseq_to_uniprot_genename	59
HS_refseq_to_wikigene_name	60
id_conv	61
MM_conv_id	62
MM_refseq_to_affy_mg_u74a	63
MM_refseq_to_affy_mg_u74av2	64
MM_refseq_to_affy_mg_u74b	65
MM_refseq_to_affy_mg_u74bv2	66
MM_refseq_to_affy_mg_u74c	67
MM_refseq_to_affy_mg_u74cv2	68
MM_refseq_to_affy_moe430a	69
MM_refseq_to_affy_moe430b	70
MM_refseq_to_affy_moex_1_0_st_v1	71
MM_refseq_to_affy_mogene_1_0_st_v1	72
MM_refseq_to_affy_mouse430a_2	73
MM_refseq_to_affy_mouse430_2	74
MM_refseq_to_affy_mu11ksuba	75
MM_refseq_to_affy_mu11ksubb	76
MM_refseq_to_agilent_wholegenome	77
MM_refseq_to_canonical_transcript_stable_id	78
MM_refseq_to_ccds	79
MM_refseq_to_codelink	79
MM_refseq_to_embl	80
MM_refseq_to_ensembl_gene_id	81
MM_refseq_to_ensembl_peptide_id	82
MM_refseq_to_ensembl_transcript_id	83
MM_refseq_to_entrezgene	84
MM_refseq_to_fantom	85
MM_refseq_to_illumina_mousewg_6_v1	85
MM_refseq_to_illumina_mousewg_6_v2	86
MM_refseq_to_interpro	87
MM_refseq_to_ipi	88
MM_refseq_to_merops	89
MM_refseq_to_mgi_id	89
MM_refseq_to_mgi_symbol	90
MM_refseq_to_mgi_transcript_name	91
MM_refseq_to_MM_refseq_to_efg_agilent_sureprint_g3_ge_8x60k	92
MM_refseq_to_MM_refseq_to_efg_agilent_wholegenome_4x44k_v1	93
MM_refseq_to_MM_refseq_to_efg_agilent_wholegenome_4x44k_v2	94
MM_refseq_to_MM_refseq_to_ensembl_exon_id	95
MM_refseq_to_MM_refseq_to_uniprot_genename_transcript_name	96
MM_refseq_to_MM_refseq_to_uniprot_sptrembl	97
MM_refseq_to_MM_refseq_to_uniprot_swissprot	98
MM_refseq_to_MM_refseq_to_uniprot_swissprot_accession	99
MM_refseq_to_MM_refseq_to_wikigene_id	100
MM_refseq_to_pdb	101
MM_refseq_to_pfam	101
MM_refseq_to_phalanx_onearray	102

MM_refseq_to_protein_id	103
MM_refseq_to_refseq_dna	104
MM_refseq_to_refseq_peptide	105
MM_refseq_to_rfam	106
MM_refseq_to_rfam_gene_name	106
MM_refseq_to_rfam_transcript_name	107
MM_refseq_to_smart	108
MM_refseq_to_tigrfam	109
MM_refseq_to_ucsc	110
MM_refseq_to_unigene	110
MM_refseq_to_uniprot_genename	111
MM_refseq_to_wikigene_name	112
TBL2	113
TBL2_HS	114
TBL2_MM	114

Index **116**

conv_id	<i>miRNA conservation table of mouse/human, based upon TargetScan-Mouse/Human 6.1</i>
---------	---

Description

This miRNA conservation table is for MiRaGE package. Actual name of data files is HS_conv_id for human and MM_conv_id for mouse, but name of loaded data frame is "conv_id".

Usage

```
data(MM_conv_id)
```

Format

The data set is a data frame. The number of rows is the number of miRNAs. The number of column is two.

Details

The first column includes miRNA names based upon miRBase Release 18 and the second column includes integers which describe miRNA conservation. 2 stands for broadly conserved (in MiRaGE, it corresponds to "conserved"), 1 stands for conserved (in MiRaGE, broadly conserved and conserved correspond to "weakly conserved"), 0 stands for others (in MiRaGE, "all" corresponds to all miRNAs).

Note

How to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about TargetScan, access to <http://www.targetscan.org/>

Examples

```
data(MM_conv_id)
```

HS_conv_id	<i>miRNA conservation table of human</i>
------------	--

Description

This miRNA conservation table of human is for MiRaGE package, based upon TargetScanHuman 6.1

Usage

```
data(HS_conv_id)
```

Format

The data set is a data frame. The number of rows is the number of miRNAs. The number of column is two.

Details

The first column includes miRNA names based upon miRBase Release 18 and the second column includes integers which describe miRNA conservation. 2 stands for broadly conserved (in MiRaGE, it corresponds to "conserved"), 1 stands for conserved (in MiRaGE, broadly conserved and conserved correspond to "weakly conserved"), 0 stands for others (in MiRaGE, "all" corresponds to all miRNAs). Please note that the name of object loaded is not "HS_conv_id" but "conv_id", because of the requirements by MiRaGE package.

Note

How to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about TargetScanHuman, access to http://www.targetscan.org/vert_61/

Examples

```
data(HS_conv_id)
```

HS_refseq_to_affy_hc_g110

Conversion table between RefSeq and affy_hc_g110 for human

Description

This gene id conversion table between RefSeq and affy_hc_g110 is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(HS_refseq_to_affy_hc_g110)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding affy_hc_g110. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "HS_refseq_to_affy_hc_g110" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(HS_refseq_to_affy_hc_g110)
```

HS_refseq_to_affy_hg_focus

Conversion table between RefSeq and affy_hg_focus for human

Description

This gene id conversion table between RefSeq and affy_hg_focus is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(HS_refseq_to_affy_hg_focus)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding affy_hg_focus. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "HS_refseq_to_affy_hg_focus" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(HS_refseq_to_affy_hg_focus)
```

HS_refseq_to_affy_hg_u133a

Conversion table between RefSeq and affy_hg_u133a for human

Description

This gene id conversion table between RefSeq and affy_hg_u133a is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(HS_refseq_to_affy_hg_u133a)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding affy_hg_u133a. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "HS_refseq_to_affy_hg_u133a" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(HS_refseq_to_affy_hg_u133a)
```

HS_refseq_to_affy_hg_u133a_2

Conversion table between RefSeq and affy_hg_u133a_2 for human

Description

This gene id conversion table between RefSeq and affy_hg_u133a_2 is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(HS_refseq_to_affy_hg_u133a_2)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding affy_hg_u133a_2. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "HS_refseq_to_affy_hg_u133a_2" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(HS_refseq_to_affy_hg_u133a_2)
```

HS_refseq_to_affy_hg_u133b

Conversion table between RefSeq and affy_hg_u133b for human

Description

This gene id conversion table between RefSeq and affy_hg_u133b is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(HS_refseq_to_affy_hg_u133b)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding affy_hg_u133b. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "HS_refseq_to_affy_hg_u133b" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(HS_refseq_to_affy_hg_u133b)
```

HS_refseq_to_affy_hg_u133_plus_2

Conversion table between RefSeq and affy_hg_u133_plus_2 for human

Description

This gene id conversion table between RefSeq and affy_hg_u133_plus_2 is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(HS_refseq_to_affy_hg_u133_plus_2)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding affy_hg_u133_plus_2. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "HS_refseq_to_affy_hg_u133_plus_2" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(HS_refseq_to_affy_hg_u133_plus_2)
```

HS_refseq_to_affy_hg_u95a

Conversion table between RefSeq and affy_hg_u95a for human

Description

This gene id conversion table between RefSeq and affy_hg_u95a is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(HS_refseq_to_affy_hg_u95a)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding affy_hg_u95a. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "HS_refseq_to_affy_hg_u95a" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(HS_refseq_to_affy_hg_u95a)
```

HS_refseq_to_affy_hg_u95av2

Conversion table between RefSeq and affy_hg_u95av2 for human

Description

This gene id conversion table between RefSeq and affy_hg_u95av2 is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(HS_refseq_to_affy_hg_u95av2)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding affy_hg_u95av2. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "HS_refseq_to_affy_hg_u95av2" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(HS_refseq_to_affy_hg_u95av2)
```

HS_refseq_to_affy_hg_u95b

Conversion table between RefSeq and affy_hg_u95b for human

Description

This gene id conversion table between RefSeq and affy_hg_u95b is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(HS_refseq_to_affy_hg_u95b)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding affy_hg_u95b. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "HS_refseq_to_affy_hg_u95b" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(HS_refseq_to_affy_hg_u95b)
```

HS_refseq_to_affy_hg_u95c

Conversion table between RefSeq and affy_hg_u95c for human

Description

This gene id conversion table between RefSeq and affy_hg_u95c is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(HS_refseq_to_affy_hg_u95c)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding affy_hg_u95c. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "HS_refseq_to_affy_hg_u95c" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(HS_refseq_to_affy_hg_u95c)
```

HS_refseq_to_affy_hg_u95d

Conversion table between RefSeq and affy_hg_u95d for human

Description

This gene id conversion table between RefSeq and affy_hg_u95d is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(HS_refseq_to_affy_hg_u95d)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding affy_hg_u95d. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "HS_refseq_to_affy_hg_u95d" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(HS_refseq_to_affy_hg_u95d)
```

HS_refseq_to_affy_hg_u95e

Conversion table between RefSeq and affy_hg_u95e for human

Description

This gene id conversion table between RefSeq and affy_hg_u95e is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(HS_refseq_to_affy_hg_u95e)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding affy_hg_u95e. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "HS_refseq_to_affy_hg_u95e" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(HS_refseq_to_affy_hg_u95e)
```

HS_refseq_to_affy_huex_1_0_st_v2

Conversion table between RefSeq and affy_huex_1_0_st_v2 for human

Description

This gene id conversion table between RefSeq and affy_huex_1_0_st_v2 is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(HS_refseq_to_affy_huex_1_0_st_v2)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding affy_huex_1_0_st_v2. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "HS_refseq_to_affy_huex_1_0_st_v2" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(HS_refseq_to_affy_huex_1_0_st_v2)
```

`HS_refseq_to_affy_hugeneffl`*Conversion table between RefSeq and affy_hugeneffl for human*

Description

This gene id conversion table between RefSeq and affy_hugeneffl is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(HS_refseq_to_affy_hugeneffl)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding affy_hugeneffl. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "HS_refseq_to_affy_hugeneffl" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(HS_refseq_to_affy_hugeneffl)
```

HS_refseq_to_affy_hugene_1_0_st_v1

Conversion table between RefSeq and affy_hugene_1_0_st_v1 for human

Description

This gene id conversion table between RefSeq and affy_hugene_1_0_st_v1 is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(HS_refseq_to_affy_hugene_1_0_st_v1)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding affy_hugene_1_0_st_v1. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "HS_refseq_to_affy_hugene_1_0_st_v1" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(HS_refseq_to_affy_hugene_1_0_st_v1)
```

HS_refseq_to_affy_u133_x3p

Conversion table between RefSeq and affy_u133_x3p for human

Description

This gene id conversion table between RefSeq and affy_u133_x3p is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(HS_refseq_to_affy_u133_x3p)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding affy_u133_x3p. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "HS_refseq_to_affy_u133_x3p" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(HS_refseq_to_affy_u133_x3p)
```

HS_refseq_to_agilent_cgh_44b

Conversion table between RefSeq and agilent_cgh_44b for human

Description

This gene id conversion table between RefSeq and agilent_cgh_44b is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(HS_refseq_to_agilent_cgh_44b)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding agilent_cgh_44b. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "HS_refseq_to_agilent_cgh_44b" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(HS_refseq_to_agilent_cgh_44b)
```

HS_refseq_to_agilent_wholegenome

Conversion table between RefSeq and agilent_wholegenome for human

Description

This gene id conversion table between RefSeq and agilent_wholegenome is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(HS_refseq_to_agilent_wholegenome)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding agilent_wholegenome. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "HS_refseq_to_agilent_wholegenome" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(HS_refseq_to_agilent_wholegenome)
```

HS_refseq_to_canonical_transcript_stable_id

*Conversion table between RefSeq and canonical_transcript_stable_id
for human*

Description

This gene id conversion table between RefSeq and canonical_transcript_stable_id is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(HS_refseq_to_canonical_transcript_stable_id)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding canonical_transcript_stable_id. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "HS_refseq_to_canonical_transcript_stable_id" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(HS_refseq_to_canonical_transcript_stable_id)
```

HS_refseq_to_ccds *Conversion table between RefSeq and ccds for human*

Description

This gene id conversion table between RefSeq and ccds is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(HS_refseq_to_ccds)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding ccds. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "HS_refseq_to_ccds" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(HS_refseq_to_ccds)
```

HS_refseq_to_codelink *Conversion table between RefSeq and codelink for human*

Description

This gene id conversion table between RefSeq and codelink is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(HS_refseq_to_codelink)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding codelink. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "HS_refseq_to_codelink" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(HS_refseq_to_codelink)
```

HS_refseq_to_embl	<i>Conversion table between RefSeq and embl for human</i>
-------------------	---

Description

This gene id conversion table between RefSeq and embl is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(HS_refseq_to_embl)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding embl. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "HS_refseq_to_embl" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(HS_refseq_to_embl)
```

```
HS_refseq_to_ensembl_gene_id
```

Conversion table between RefSeq and ensembl_gene_id for human

Description

This gene id conversion table between RefSeq and ensembl_gene_id is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(HS_refseq_to_ensembl_gene_id)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding ensembl_gene_id. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "HS_refseq_to_ensembl_gene_id" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(HS_refseq_to_ensembl_gene_id)
```

HS_refseq_to_ensembl_peptide_id

Conversion table between RefSeq and ensembl_peptide_id for human

Description

This gene id conversion table between RefSeq and ensembl_peptide_id is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(HS_refseq_to_ensembl_peptide_id)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding ensembl_peptide_id. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "HS_refseq_to_ensembl_peptide_id" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(HS_refseq_to_ensembl_peptide_id)
```

HS_refseq_to_ensembl_transcript_id

Conversion table between RefSeq and ensembl_transcript_id for human

Description

This gene id conversion table between RefSeq and ensembl_transcript_id is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(HS_refseq_to_ensembl_transcript_id)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding ensembl_transcript_id. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "HS_refseq_to_ensembl_transcript_id" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(HS_refseq_to_ensembl_transcript_id)
```

HS_refseq_to_entrezgene

Conversion table between RefSeq and entrezgene for human

Description

This gene id conversion table between RefSeq and entrezgene is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(HS_refseq_to_entrezgene)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding entrezgene. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "HS_refseq_to_entrezgene" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(HS_refseq_to_entrezgene)
```

HS_refseq_to_hgnc_id *Conversion table between RefSeq and hgnc_id for human*

Description

This gene id conversion table between RefSeq and hgnc_id is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(HS_refseq_to_hgnc_id)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding hgnc_id. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "HS_refseq_to_hgnc_id" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(HS_refseq_to_hgnc_id)
```

HS_refseq_to_hgnc_symbol
Conversion table between RefSeq and hgnc_symbol for human

Description

This gene id conversion table between RefSeq and hgnc_symbol is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(HS_refseq_to_hgnc_symbol)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding hgnc_symbol. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "HS_refseq_to_hgnc_symbol" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(HS_refseq_to_hgnc_symbol)
```

HS_refseq_to_hgnc_transcript_name

Conversion table between RefSeq and hgnc_transcript_name for human

Description

This gene id conversion table between RefSeq and hgnc_transcript_name is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(HS_refseq_to_hgnc_transcript_name)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding hgnc_transcript_name. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "HS_refseq_to_hgnc_transcript_name" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(HS_refseq_to_hgnc_transcript_name)
```

HS_refseq_to_HS_refseq_to_efg_agilent_sureprint_g3_ge_8x60k
*Conversion table between RefSeq and
 HS_refseq_to_efg_agilent_sureprint_g3_ge_8x60k for human*

Description

This gene id conversion table between RefSeq and HS_refseq_to_efg_agilent_sureprint_g3_ge_8x60k is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(HS_refseq_to_HS_refseq_to_efg_agilent_sureprint_g3_ge_8x60k)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding HS_refseq_to_efg_agilent_sureprint. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "HS_refseq_to_HS_refseq_to_efg_agilent_sureprint_g3_ge_8x60k" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(HS_refseq_to_HS_refseq_to_efg_agilent_sureprint_g3_ge_8x60k)
```

HS_refseq_to_HS_refseq_to_efg_agilent_wholegenome_4x44k_v1
Conversion table between RefSeq and
HS_refseq_to_efg_agilent_wholegenome_4x44k_v1 for human

Description

This gene id conversion table between RefSeq and *HS_refseq_to_efg_agilent_wholegenome_4x44k_v1* is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(HS_refseq_to_HS_refseq_to_efg_agilent_wholegenome_4x44k_v1)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding *HS_refseq_to_efg_agilent_wholegenome_4x44k_v1*. It can be made out of `getBM` function in `biomaRt` package. Please note that the name of object loaded is not "*HS_refseq_to_HS_refseq_to_efg_agilent_wholegenome_4x44k_v1*" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(HS_refseq_to_HS_refseq_to_efg_agilent_wholegenome_4x44k_v1)
```

HS_refseq_to_HS_refseq_to_efg_agilent_wholegenome_4x44k_v2
*Conversion table between RefSeq and
HS_refseq_to_efg_agilent_wholegenome_4x44k_v2 for human*

Description

This gene id conversion table between RefSeq and HS_refseq_to_efg_agilent_wholegenome_4x44k_v2 is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(HS_refseq_to_HS_refseq_to_efg_agilent_wholegenome_4x44k_v2)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding HS_refseq_to_efg_agilent_wholegenome_4x44k_v2. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "HS_refseq_to_HS_refseq_to_efg_agilent_wholegenome_4x44k_v2" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(HS_refseq_to_HS_refseq_to_efg_agilent_wholegenome_4x44k_v2)
```

HS_refseq_to_HS_refseq_to_ensembl_exon_id

*Conversion table between RefSeq and HS_refseq_to_ensembl_exon_id
for human*

Description

This gene id conversion table between RefSeq and HS_refseq_to_ensembl_exon_id is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(HS_refseq_to_HS_refseq_to_ensembl_exon_id)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding HS_refseq_to_ensembl_exon_id. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "HS_refseq_to_HS_refseq_to_ensembl_exon_id" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(HS_refseq_to_HS_refseq_to_ensembl_exon_id)
```

HS_refseq_to_HS_refseq_to_uniprot_genename_transcript_name
*Conversion table between RefSeq and
HS_refseq_to_uniprot_genename_transcript_name for human*

Description

This gene id conversion table between RefSeq and HS_refseq_to_uniprot_genename_transcript_name is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(HS_refseq_to_HS_refseq_to_uniprot_genename_transcript_name)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding HS_refseq_to_uniprot_genename_tr. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "HS_refseq_to_HS_refseq_to_uniprot_genename_transcript_name" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(HS_refseq_to_HS_refseq_to_uniprot_genename_transcript_name)
```

HS_refseq_to_HS_refseq_to_uniprot_sptrembl

*Conversion table between RefSeq and HS_refseq_to_uniprot_sptrembl
for human*

Description

This gene id conversion table between RefSeq and HS_refseq_to_uniprot_sptrembl is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(HS_refseq_to_HS_refseq_to_uniprot_sptrembl)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding HS_refseq_to_uniprot_sptrembl. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "HS_refseq_to_HS_refseq_to_uniprot_sptrembl" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(HS_refseq_to_HS_refseq_to_uniprot_sptrembl)
```

HS_refseq_to_HS_refseq_to_uniprot_swissprot
*Conversion table between RefSeq and
HS_refseq_to_uniprot_swissprot for human*

Description

This gene id conversion table between RefSeq and HS_refseq_to_uniprot_swissprot is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(HS_refseq_to_HS_refseq_to_uniprot_swissprot)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding HS_refseq_to_uniprot_swissprot. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "HS_refseq_to_HS_refseq_to_uniprot_swissprot" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(HS_refseq_to_HS_refseq_to_uniprot_swissprot)
```

HS_refseq_to_HS_refseq_to_uniprot_swissprot_accession
*Conversion table between RefSeq and
 HS_refseq_to_uniprot_swissprot_accession for human*

Description

This gene id conversion table between RefSeq and HS_refseq_to_uniprot_swissprot_accession is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(HS_refseq_to_HS_refseq_to_uniprot_swissprot_accession)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding HS_refseq_to_uniprot_swissprot_accession. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "HS_refseq_to_HS_refseq_to_uniprot_swissprot_accession" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(HS_refseq_to_HS_refseq_to_uniprot_swissprot_accession)
```

HS_refseq_to_HS_refseq_to_wikigene_id

Conversion table between RefSeq and HS_refseq_to_wikigene_id for human

Description

This gene id conversion table between RefSeq and HS_refseq_to_wikigene_id is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(HS_refseq_to_HS_refseq_to_wikigene_id)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding HS_refseq_to_wikigene_id. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "HS_refseq_to_HS_refseq_to_wikigene_id" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(HS_refseq_to_HS_refseq_to_wikigene_id)
```

HS_refseq_to_illumina_humanht_12

Conversion table between RefSeq and illumina_humanht_12 for human

Description

This gene id conversion table between RefSeq and illumina_humanht_12 is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(HS_refseq_to_illumina_humanht_12)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding illumina_humanht_12. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "HS_refseq_to_illumina_humanht_12" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(HS_refseq_to_illumina_humanht_12)
```

HS_refseq_to_illumina_humanwg_6_v1

Conversion table between RefSeq and illumina_humanwg_6_v1 for human

Description

This gene id conversion table between RefSeq and illumina_humanwg_6_v1 is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(HS_refseq_to_illumina_humanwg_6_v1)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding illumina_humanwg_6_v1. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "HS_refseq_to_illumina_humanwg_6_v1" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(HS_refseq_to_illumina_humanwg_6_v1)
```

HS_refseq_to_illumina_humanwg_6_v2

Conversion table between RefSeq and illumina_humanwg_6_v2 for human

Description

This gene id conversion table between RefSeq and illumina_humanwg_6_v2 is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(HS_refseq_to_illumina_humanwg_6_v2)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding illumina_humanwg_6_v2. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "HS_refseq_to_illumina_humanwg_6_v2" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(HS_refseq_to_illumina_humanwg_6_v2)
```

HS_refseq_to_illumina_humanwg_6_v3

Conversion table between RefSeq and illumina_humanwg_6_v3 for human

Description

This gene id conversion table between RefSeq and illumina_humanwg_6_v3 is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(HS_refseq_to_illumina_humanwg_6_v3)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding illumina_humanwg_6_v3. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "HS_refseq_to_illumina_humanwg_6_v3" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(HS_refseq_to_illumina_humanwg_6_v3)
```

HS_refseq_to_interpro *Conversion table between RefSeq and interpro for human*

Description

This gene id conversion table between RefSeq and interpro is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(HS_refseq_to_interpro)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding interpro. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "HS_refseq_to_interpro" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(HS_refseq_to_interpro)
```

HS_refseq_to_ipi *Conversion table between RefSeq and ipi for human*

Description

This gene id conversion table between RefSeq and ipi is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(HS_refseq_to_ipi)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding ipi. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "HS_refseq_to_ipi" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(HS_refseq_to_ipi)
```

HS_refseq_to_merops *Conversion table between RefSeq and merops for human*

Description

This gene id conversion table between RefSeq and merops is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(HS_refseq_to_merops)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding merops. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "HS_refseq_to_merops" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(HS_refseq_to_merops)
```

HS_refseq_to_pdb	<i>Conversion table between RefSeq and pdb for human</i>
------------------	--

Description

This gene id conversion table between RefSeq and pdb is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(HS_refseq_to_pdb)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding pdb. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "HS_refseq_to_pdb" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(HS_refseq_to_pdb)
```

HS_refseq_to_pfam *Conversion table between RefSeq and pfam for human*

Description

This gene id conversion table between RefSeq and pfam is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(HS_refseq_to_pfam)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding pfam. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "HS_refseq_to_pfam" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(HS_refseq_to_pfam)
```

HS_refseq_to_phalanx_onearray
Conversion table between RefSeq and phalanx_onearray for human

Description

This gene id conversion table between RefSeq and phalanx_onearray is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(HS_refseq_to_phalanx_onearray)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding phalanx_onearray. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "HS_refseq_to_phalanx_onearray" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(HS_refseq_to_phalanx_onearray)
```

HS_refseq_to_protein_id

Conversion table between RefSeq and protein_id for human

Description

This gene id conversion table between RefSeq and protein_id is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(HS_refseq_to_protein_id)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding protein_id. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "HS_refseq_to_protein_id" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(HS_refseq_to_protein_id)
```

```
HS_refseq_to_refseq_dna
```

Conversion table between RefSeq and refseq_dna for human

Description

This gene id conversion table between RefSeq and refseq_dna is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(HS_refseq_to_refseq_dna)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding refseq_dna. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "HS_refseq_to_refseq_dna" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(HS_refseq_to_refseq_dna)
```

HS_refseq_to_refseq_genomic

Conversion table between RefSeq and refseq_genomic for human

Description

This gene id conversion table between RefSeq and refseq_genomic is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(HS_refseq_to_refseq_genomic)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding refseq_genomic. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "HS_refseq_to_refseq_genomic" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(HS_refseq_to_refseq_genomic)
```

`HS_refseq_to_refseq_peptide`*Conversion table between RefSeq and refseq_peptide for human*

Description

This gene id conversion table between RefSeq and refseq_peptide is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(HS_refseq_to_refseq_peptide)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding refseq_peptide. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "HS_refseq_to_refseq_peptide" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(HS_refseq_to_refseq_peptide)
```

HS_refseq_to_rfam	<i>Conversion table between RefSeq and rfam for human</i>
-------------------	---

Description

This gene id conversion table between RefSeq and rfam is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(HS_refseq_to_rfam)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding rfam. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "HS_refseq_to_rfam" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(HS_refseq_to_rfam)
```

HS_refseq_to_rfam_gene_name	<i>Conversion table between RefSeq and rfam_gene_name for human</i>
-----------------------------	---

Description

This gene id conversion table between RefSeq and rfam_gene_name is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(HS_refseq_to_rfam_gene_name)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding rfam_gene_name. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "HS_refseq_to_rfam_gene_name" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(HS_refseq_to_rfam_gene_name)
```

HS_refseq_to_rfam_transcript_name

Conversion table between RefSeq and rfam_transcript_name for human

Description

This gene id conversion table between RefSeq and rfam_transcript_name is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(HS_refseq_to_rfam_transcript_name)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding rfam_transcript_name. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "HS_refseq_to_rfam_transcript_name" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(HS_refseq_to_rfam_transcript_name)
```

HS_refseq_to_smart *Conversion table between RefSeq and smart for human*

Description

This gene id conversion table between RefSeq and smart is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(HS_refseq_to_smart)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding smart. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "HS_refseq_to_smart" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(HS_refseq_to_smart)
```

HS_refseq_to_tigrfam *Conversion table between RefSeq and tigrfam for human*

Description

This gene id conversion table between RefSeq and tigrfam is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(HS_refseq_to_tigrfam)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding tigrfam. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "HS_refseq_to_tigrfam" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(HS_refseq_to_tigrfam)
```

HS_refseq_to_ucsc *Conversion table between RefSeq and ucsc for human*

Description

This gene id conversion table between RefSeq and ucsc is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(HS_refseq_to_ucsc)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding ucsc. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "HS_refseq_to_ucsc" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(HS_refseq_to_ucsc)
```

HS_refseq_to_unigene *Conversion table between RefSeq and unigene for human*

Description

This gene id conversion table between RefSeq and unigene is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(HS_refseq_to_unigene)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding unigene. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "HS_refseq_to_unigene" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(HS_refseq_to_unigene)
```

HS_refseq_to_uniprot_genename

Conversion table between RefSeq and uniprot_genename for human

Description

This gene id conversion table between RefSeq and uniprot_genename is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(HS_refseq_to_uniprot_genename)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding uniprot_genename. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "HS_refseq_to_uniprot_genename" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(HS_refseq_to_uniprot_genename)
```

```
HS_refseq_to_wikigene_name
```

Conversion table between RefSeq and wikigene_name for human

Description

This gene id conversion table between RefSeq and wikigene_name is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(HS_refseq_to_wikigene_name)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding wikigene_name. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "HS_refseq_to_wikigene_name" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(HS_refseq_to_wikigene_name)
```

id_conv	<i>Conversion table between refseq and various gene id/probe id</i>
---------	---

Description

This gene id conversion table between RefSeq and gene id/probe id is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(MM_refseq_to_wikigene_name)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding gene id. It can be made out of `getBM` function in `biomaRt` package. Actual names of data file is `HS_refseq_to_[gene id/probe id]` for human and `MM_refseq_to_[gene id/probe id]` for mouse. `[gene id/probe id]` stands for various gene id / probe id, but loaded data frame has the name "id_conv".

Note

How to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(MM_refseq_to_wikigene_name)
```

MM_conv_id	<i>miRNA conservation table of mouse</i>
------------	--

Description

This miRNA conservation table of mouse is for MiRaGE package, based upon TargetScanMouse 6.1

Usage

```
data(MM_conv_id)
```

Format

The data set is a data frame. The number of rows is the number of miRNAs. The number of column is two.

Details

The first column includes miRNA names based upon miRBase Release 18 and the second column includes integers which describe miRNA conservation. 2 stands for broadly conserved (in MiRaGE, it corresponds to "conserved"), 1 stands for conserved (in MiRaGE, broadly conserved and conserved correspond to "weakly conserved"), 0 stands for others (in MiRaGE, "all" corresponds to all miRNAs). Please note that the name of object loaded is not "MM_conv_id" but "conv_id", because of the requirements by MiRaGE package.

Note

How to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about TargetScanMouse, access to http://www.targetscan.org/mmu_61/

Examples

```
data(MM_conv_id)
```

`MM_refseq_to_affy_mg_u74a`*Conversion table between RefSeq and affy_mg_u74a for mouse*

Description

This gene id conversion table between RefSeq and affy_mg_u74a is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(MM_refseq_to_affy_mg_u74a)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding affy_mg_u74a. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "MM_refseq_to_affy_mg_u74a" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(MM_refseq_to_affy_mg_u74a)
```

MM_refseq_to_affy_mg_u74av2

Conversion table between RefSeq and affy_mg_u74av2 for mouse

Description

This gene id conversion table between RefSeq and affy_mg_u74av2 is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(MM_refseq_to_affy_mg_u74av2)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding affy_mg_u74av2. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "MM_refseq_to_affy_mg_u74av2" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(MM_refseq_to_affy_mg_u74av2)
```

`MM_refseq_to_affy_mg_u74b`*Conversion table between RefSeq and affy_mg_u74b for mouse*

Description

This gene id conversion table between RefSeq and affy_mg_u74b is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(MM_refseq_to_affy_mg_u74b)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding affy_mg_u74b. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "MM_refseq_to_affy_mg_u74b" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(MM_refseq_to_affy_mg_u74b)
```

MM_refseq_to_affy_mg_u74bv2

Conversion table between RefSeq and affy_mg_u74bv2 for mouse

Description

This gene id conversion table between RefSeq and affy_mg_u74bv2 is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(MM_refseq_to_affy_mg_u74bv2)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding affy_mg_u74bv2. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "MM_refseq_to_affy_mg_u74bv2" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(MM_refseq_to_affy_mg_u74bv2)
```

`MM_refseq_to_affy_mg_u74c`*Conversion table between RefSeq and affy_mg_u74c for mouse*

Description

This gene id conversion table between RefSeq and affy_mg_u74c is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(MM_refseq_to_affy_mg_u74c)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding affy_mg_u74c. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "MM_refseq_to_affy_mg_u74c" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(MM_refseq_to_affy_mg_u74c)
```

MM_refseq_to_affy_mg_u74cv2

Conversion table between RefSeq and affy_mg_u74cv2 for mouse

Description

This gene id conversion table between RefSeq and affy_mg_u74cv2 is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(MM_refseq_to_affy_mg_u74cv2)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding affy_mg_u74cv2. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "MM_refseq_to_affy_mg_u74cv2" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(MM_refseq_to_affy_mg_u74cv2)
```

MM_refseq_to_affy_moe430a

Conversion table between RefSeq and affy_moe430a for mouse

Description

This gene id conversion table between RefSeq and affy_moe430a is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(MM_refseq_to_affy_moe430a)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding affy_moe430a. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "MM_refseq_to_affy_moe430a" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(MM_refseq_to_affy_moe430a)
```

MM_refseq_to_affy_moe430b

Conversion table between RefSeq and affy_moe430b for mouse

Description

This gene id conversion table between RefSeq and affy_moe430b is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(MM_refseq_to_affy_moe430b)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding affy_moe430b. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "MM_refseq_to_affy_moe430b" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(MM_refseq_to_affy_moe430b)
```

`MM_refseq_to_affy_moex_1_0_st_v1`*Conversion table between RefSeq and affy_moex_1_0_st_v1 for mouse*

Description

This gene id conversion table between RefSeq and affy_moex_1_0_st_v1 is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(MM_refseq_to_affy_moex_1_0_st_v1)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding affy_moex_1_0_st_v1. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "MM_refseq_to_affy_moex_1_0_st_v1" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(MM_refseq_to_affy_moex_1_0_st_v1)
```

MM_refseq_to_affy_mogene_1_0_st_v1

Conversion table between RefSeq and affy_mogene_1_0_st_v1 for mouse

Description

This gene id conversion table between RefSeq and affy_mogene_1_0_st_v1 is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(MM_refseq_to_affy_mogene_1_0_st_v1)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding affy_mogene_1_0_st_v1. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "MM_refseq_to_affy_mogene_1_0_st_v1" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(MM_refseq_to_affy_mogene_1_0_st_v1)
```

`MM_refseq_to_affy_mouse430a_2`*Conversion table between RefSeq and affy_mouse430a_2 for mouse*

Description

This gene id conversion table between RefSeq and affy_mouse430a_2 is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(MM_refseq_to_affy_mouse430a_2)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding affy_mouse430a_2. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "MM_refseq_to_affy_mouse430a_2" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(MM_refseq_to_affy_mouse430a_2)
```

MM_refseq_to_affy_mouse430_2

Conversion table between RefSeq and affy_mouse430_2 for mouse

Description

This gene id conversion table between RefSeq and affy_mouse430_2 is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(MM_refseq_to_affy_mouse430_2)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding affy_mouse430_2. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "MM_refseq_to_affy_mouse430_2" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(MM_refseq_to_affy_mouse430_2)
```

MM_refseq_to_affy_mu11ksuba

Conversion table between RefSeq and affy_mu11ksuba for mouse

Description

This gene id conversion table between RefSeq and affy_mu11ksuba is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(MM_refseq_to_affy_mu11ksuba)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding affy_mu11ksuba. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "MM_refseq_to_affy_mu11ksuba" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(MM_refseq_to_affy_mu11ksuba)
```

MM_refseq_to_affy_mu11ksubb

Conversion table between RefSeq and affy_mu11ksubb for mouse

Description

This gene id conversion table between RefSeq and affy_mu11ksubb is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(MM_refseq_to_affy_mu11ksubb)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding affy_mu11ksubb. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "MM_refseq_to_affy_mu11ksubb" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(MM_refseq_to_affy_mu11ksubb)
```

MM_refseq_to_agilent_wholegenome

Conversion table between RefSeq and agilent_wholegenome for mouse

Description

This gene id conversion table between RefSeq and agilent_wholegenome is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(MM_refseq_to_agilent_wholegenome)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding agilent_wholegenome. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "MM_refseq_to_agilent_wholegenome" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(MM_refseq_to_agilent_wholegenome)
```

MM_refseq_to_canonical_transcript_stable_id

*Conversion table between RefSeq and canonical_transcript_stable_id
for mouse*

Description

This gene id conversion table between RefSeq and canonical_transcript_stable_id is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(MM_refseq_to_canonical_transcript_stable_id)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding canonical_transcript_stable_id. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "MM_refseq_to_canonical_transcript_stable_id" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(MM_refseq_to_canonical_transcript_stable_id)
```

MM_refseq_to_ccds *Conversion table between RefSeq and ccds for mouse*

Description

This gene id conversion table between RefSeq and ccds is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(MM_refseq_to_ccds)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding ccds. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "MM_refseq_to_ccds" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(MM_refseq_to_ccds)
```

MM_refseq_to_codelink *Conversion table between RefSeq and codelink for mouse*

Description

This gene id conversion table between RefSeq and codelink is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(MM_refseq_to_codelink)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding codelink. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "MM_refseq_to_codelink" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(MM_refseq_to_codelink)
```

MM_refseq_to_embl	<i>Conversion table between RefSeq and embl for mouse</i>
-------------------	---

Description

This gene id conversion table between RefSeq and embl is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(MM_refseq_to_embl)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding embl. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "MM_refseq_to_embl" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(MM_refseq_to_embl)
```

MM_refseq_to_ensembl_gene_id

Conversion table between RefSeq and ensembl_gene_id for mouse

Description

This gene id conversion table between RefSeq and ensembl_gene_id is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(MM_refseq_to_ensembl_gene_id)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding ensembl_gene_id. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "MM_refseq_to_ensembl_gene_id" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(MM_refseq_to_ensembl_gene_id)
```

MM_refseq_to_ensembl_peptide_id

Conversion table between RefSeq and ensembl_peptide_id for mouse

Description

This gene id conversion table between RefSeq and ensembl_peptide_id is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(MM_refseq_to_ensembl_peptide_id)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding ensembl_peptide_id. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "MM_refseq_to_ensembl_peptide_id" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(MM_refseq_to_ensembl_peptide_id)
```

MM_refseq_to_ensembl_transcript_id

Conversion table between RefSeq and ensembl_transcript_id for mouse

Description

This gene id conversion table between RefSeq and ensembl_transcript_id is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(MM_refseq_to_ensembl_transcript_id)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding ensembl_transcript_id. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "MM_refseq_to_ensembl_transcript_id" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(MM_refseq_to_ensembl_transcript_id)
```

MM_refseq_to_entrezgene

Conversion table between RefSeq and entrezgene for mouse

Description

This gene id conversion table between RefSeq and entrezgene is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(MM_refseq_to_entrezgene)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding entrezgene. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "MM_refseq_to_entrezgene" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(MM_refseq_to_entrezgene)
```

MM_refseq_to_fantom *Conversion table between RefSeq and fantom for mouse*

Description

This gene id conversion table between RefSeq and fantom is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(MM_refseq_to_fantom)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding fantom. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "MM_refseq_to_fantom" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(MM_refseq_to_fantom)
```

MM_refseq_to_illumina_mousewg_6_v1
Conversion table between RefSeq and illumina_mousewg_6_v1 for mouse

Description

This gene id conversion table between RefSeq and illumina_mousewg_6_v1 is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(MM_refseq_to_illumina_mousewg_6_v1)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding illumina_mousewg_6_v1. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "MM_refseq_to_illumina_mousewg_6_v1" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(MM_refseq_to_illumina_mousewg_6_v1)
```

MM_refseq_to_illumina_mousewg_6_v2

Conversion table between RefSeq and illumina_mousewg_6_v2 for mouse

Description

This gene id conversion table between RefSeq and illumina_mousewg_6_v2 is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(MM_refseq_to_illumina_mousewg_6_v2)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding illumina_mousewg_6_v2. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "MM_refseq_to_illumina_mousewg_6_v2" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(MM_refseq_to_illumina_mousewg_6_v2)
```

MM_refseq_to_interpro *Conversion table between RefSeq and interpro for mouse*

Description

This gene id conversion table between RefSeq and interpro is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(MM_refseq_to_interpro)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding interpro. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "MM_refseq_to_interpro" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(MM_refseq_to_interpro)
```

MM_refseq_to_ipi	<i>Conversion table between RefSeq and ipi for mouse</i>
------------------	--

Description

This gene id conversion table between RefSeq and ipi is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(MM_refseq_to_ipi)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding ipi. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "MM_refseq_to_ipi" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(MM_refseq_to_ipi)
```

MM_refseq_to_merops *Conversion table between RefSeq and merops for mouse*

Description

This gene id conversion table between RefSeq and merops is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(MM_refseq_to_merops)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding merops. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "MM_refseq_to_merops" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(MM_refseq_to_merops)
```

MM_refseq_to_mgi_id *Conversion table between RefSeq and mgi_id for mouse*

Description

This gene id conversion table between RefSeq and mgi_id is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(MM_refseq_to_mgi_id)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding mgi_id. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "MM_refseq_to_mgi_id" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(MM_refseq_to_mgi_id)
```

MM_refseq_to_mgi_symbol

Conversion table between RefSeq and mgi_symbol for mouse

Description

This gene id conversion table between RefSeq and mgi_symbol is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(MM_refseq_to_mgi_symbol)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding mgi_symbol. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "MM_refseq_to_mgi_symbol" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(MM_refseq_to_mgi_symbol)
```

MM_refseq_to_mgi_transcript_name
Conversion table between RefSeq and mgi_transcript_name for mouse

Description

This gene id conversion table between RefSeq and mgi_transcript_name is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(MM_refseq_to_mgi_transcript_name)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding mgi_transcript_name. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "MM_refseq_to_mgi_transcript_name" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(MM_refseq_to_mgi_transcript_name)
```

MM_refseq_to_MM_refseq_to_efg_agilent_sureprint_g3_ge_8x60k
*Conversion table between RefSeq and
MM_refseq_to_efg_agilent_sureprint_g3_ge_8x60k for mouse*

Description

This gene id conversion table between RefSeq and MM_refseq_to_efg_agilent_sureprint_g3_ge_8x60k is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(MM_refseq_to_MM_refseq_to_efg_agilent_sureprint_g3_ge_8x60k)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding MM_refseq_to_efg_agilent_sureprint_g3_ge_8x60k. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "MM_refseq_to_MM_refseq_to_efg_agilent_sureprint_g3_ge_8x60k" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(MM_refseq_to_MM_refseq_to_efg_agilent_sureprint_g3_ge_8x60k)
```

MM_refseq_to_MM_refseq_to_efg_agilent_wholegenome_4x44k_v1
*Conversion table between RefSeq and
MM_refseq_to_efg_agilent_wholegenome_4x44k_v1 for mouse*

Description

This gene id conversion table between RefSeq and MM_refseq_to_efg_agilent_wholegenome_4x44k_v1 is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(MM_refseq_to_MM_refseq_to_efg_agilent_wholegenome_4x44k_v1)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding MM_refseq_to_efg_agilent_wholegenome_4x44k_v1. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "MM_refseq_to_MM_refseq_to_efg_agilent_wholegenome_4x44k_v1" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(MM_refseq_to_MM_refseq_to_efg_agilent_wholegenome_4x44k_v1)
```

MM_refseq_to_MM_refseq_to_efg_agilent_wholegenome_4x44k_v2
*Conversion table between RefSeq and
MM_refseq_to_efg_agilent_wholegenome_4x44k_v2 for mouse*

Description

This gene id conversion table between RefSeq and MM_refseq_to_efg_agilent_wholegenome_4x44k_v2 is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(MM_refseq_to_MM_refseq_to_efg_agilent_wholegenome_4x44k_v2)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding MM_refseq_to_efg_agilent_wholegenome_4x44k_v2. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "MM_refseq_to_MM_refseq_to_efg_agilent_wholegenome_4x44k_v2" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(MM_refseq_to_MM_refseq_to_efg_agilent_wholegenome_4x44k_v2)
```

MM_refseq_to_MM_refseq_to_ensembl_exon_id
*Conversion table between RefSeq and
MM_refseq_to_ensembl_exon_id for mouse*

Description

This gene id conversion table between RefSeq and MM_refseq_to_ensembl_exon_id is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(MM_refseq_to_MM_refseq_to_ensembl_exon_id)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding MM_refseq_to_ensembl_exon_id. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "MM_refseq_to_MM_refseq_to_ensembl_exon_id" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(MM_refseq_to_MM_refseq_to_ensembl_exon_id)
```

MM_refseq_to_MM_refseq_to_uniprot_genename_transcript_name
*Conversion table between RefSeq and
MM_refseq_to_uniprot_genename_transcript_name for mouse*

Description

This gene id conversion table between RefSeq and MM_refseq_to_uniprot_genename_transcript_name is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(MM_refseq_to_MM_refseq_to_uniprot_genename_transcript_name)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding MM_refseq_to_uniprot_genename_ It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "MM_refseq_to_MM_refseq_to_uniprot_genename_transcript_name" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(MM_refseq_to_MM_refseq_to_uniprot_genename_transcript_name)
```

MM_refseq_to_MM_refseq_to_uniprot_sptrembl
*Conversion table between RefSeq and
MM_refseq_to_uniprot_sptrembl for mouse*

Description

This gene id conversion table between RefSeq and MM_refseq_to_uniprot_sptrembl is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(MM_refseq_to_MM_refseq_to_uniprot_sptrembl)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding MM_refseq_to_uniprot_sptrembl. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "MM_refseq_to_MM_refseq_to_uniprot_sptrembl" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(MM_refseq_to_MM_refseq_to_uniprot_sptrembl)
```

MM_refseq_to_MM_refseq_to_uniprot_swissprot
*Conversion table between RefSeq and
MM_refseq_to_uniprot_swissprot for mouse*

Description

This gene id conversion table between RefSeq and MM_refseq_to_uniprot_swissprot is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(MM_refseq_to_MM_refseq_to_uniprot_swissprot)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding MM_refseq_to_uniprot_swissprot. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "MM_refseq_to_MM_refseq_to_uniprot_swissprot" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(MM_refseq_to_MM_refseq_to_uniprot_swissprot)
```

MM_refseq_to_MM_refseq_to_uniprot_swissprot_accession
*Conversion table between RefSeq and
MM_refseq_to_uniprot_swissprot_accession for mouse*

Description

This gene id conversion table between RefSeq and MM_refseq_to_uniprot_swissprot_accession is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(MM_refseq_to_MM_refseq_to_uniprot_swissprot_accession)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding MM_refseq_to_uniprot_swissprot_a. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "MM_refseq_to_MM_refseq_to_uniprot_swissprot_accession" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(MM_refseq_to_MM_refseq_to_uniprot_swissprot_accession)
```

MM_refseq_to_MM_refseq_to_wikigene_id

Conversion table between RefSeq and MM_refseq_to_wikigene_id for mouse

Description

This gene id conversion table between RefSeq and MM_refseq_to_wikigene_id is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(MM_refseq_to_MM_refseq_to_wikigene_id)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding MM_refseq_to_wikigene_id. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "MM_refseq_to_MM_refseq_to_wikigene_id" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(MM_refseq_to_MM_refseq_to_wikigene_id)
```

MM_refseq_to_pdb	<i>Conversion table between RefSeq and pdb for mouse</i>
------------------	--

Description

This gene id conversion table between RefSeq and pdb is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(MM_refseq_to_pdb)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding pdb. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "MM_refseq_to_pdb" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(MM_refseq_to_pdb)
```

MM_refseq_to_pfam	<i>Conversion table between RefSeq and pfam for mouse</i>
-------------------	---

Description

This gene id conversion table between RefSeq and pfam is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(MM_refseq_to_pfam)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding pfam. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "MM_refseq_to_pfam" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(MM_refseq_to_pfam)
```

```
MM_refseq_to_phalanx_onearray
```

Conversion table between RefSeq and phalanx_onearray for mouse

Description

This gene id conversion table between RefSeq and phalanx_onearray is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(MM_refseq_to_phalanx_onearray)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding phalanx_onearray. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "MM_refseq_to_phalanx_onearray" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(MM_refseq_to_phalanx_onearray)
```

MM_refseq_to_protein_id

Conversion table between RefSeq and protein_id for mouse

Description

This gene id conversion table between RefSeq and protein_id is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(MM_refseq_to_protein_id)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding protein_id. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "MM_refseq_to_protein_id" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(MM_refseq_to_protein_id)
```

MM_refseq_to_refseq_dna

Conversion table between RefSeq and refseq_dna for mouse

Description

This gene id conversion table between RefSeq and refseq_dna is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(MM_refseq_to_refseq_dna)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding refseq_dna. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "MM_refseq_to_refseq_dna" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(MM_refseq_to_refseq_dna)
```

MM_refseq_to_refseq_peptide

Conversion table between RefSeq and refseq_peptide for mouse

Description

This gene id conversion table between RefSeq and refseq_peptide is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(MM_refseq_to_refseq_peptide)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding refseq_peptide. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "MM_refseq_to_refseq_peptide" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(MM_refseq_to_refseq_peptide)
```

MM_refseq_to_rfam *Conversion table between RefSeq and rfam for mouse*

Description

This gene id conversion table between RefSeq and rfam is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(MM_refseq_to_rfam)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding rfam. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "MM_refseq_to_rfam" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(MM_refseq_to_rfam)
```

MM_refseq_to_rfam_gene_name
Conversion table between RefSeq and rfam_gene_name for mouse

Description

This gene id conversion table between RefSeq and rfam_gene_name is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(MM_refseq_to_rfam_gene_name)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding rfam_gene_name. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "MM_refseq_to_rfam_gene_name" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(MM_refseq_to_rfam_gene_name)
```

MM_refseq_to_rfam_transcript_name

Conversion table between RefSeq and rfam_transcript_name for mouse

Description

This gene id conversion table between RefSeq and rfam_transcript_name is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(MM_refseq_to_rfam_transcript_name)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding rfam_transcript_name. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "MM_refseq_to_rfam_transcript_name" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(MM_refseq_to_rfam_transcript_name)
```

MM_refseq_to_smart	<i>Conversion table between RefSeq and smart for mouse</i>
--------------------	--

Description

This gene id conversion table between RefSeq and smart is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(MM_refseq_to_smart)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding smart. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "MM_refseq_to_smart" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(MM_refseq_to_smart)
```

MM_refseq_to_tigrfam *Conversion table between RefSeq and tigrfam for mouse*

Description

This gene id conversion table between RefSeq and tigrfam is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(MM_refseq_to_tigrfam)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding tigrfam. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "MM_refseq_to_tigrfam" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(MM_refseq_to_tigrfam)
```

MM_refseq_to_ucsc *Conversion table between RefSeq and ucsc for mouse*

Description

This gene id conversion table between RefSeq and ucsc is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(MM_refseq_to_ucsc)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding ucsc. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "MM_refseq_to_ucsc" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(MM_refseq_to_ucsc)
```

MM_refseq_to_unigene *Conversion table between RefSeq and unigene for mouse*

Description

This gene id conversion table between RefSeq and unigene is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(MM_refseq_to_unigene)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding unigene. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "MM_refseq_to_unigene" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(MM_refseq_to_unigene)
```

```
MM_refseq_to_uniprot_genename
```

Conversion table between RefSeq and uniprot_genename for mouse

Description

This gene id conversion table between RefSeq and uniprot_genename is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(MM_refseq_to_uniprot_genename)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding uniprot_genename. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "MM_refseq_to_uniprot_genename" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(MM_refseq_to_uniprot_genename)
```

```
MM_refseq_to_wikigene_name
```

Conversion table between RefSeq and wikigene_name for mouse

Description

This gene id conversion table between RefSeq and wikigene_name is for MiRaGE package, based upon BioMart Gene ID Converter

Usage

```
data(MM_refseq_to_wikigene_name)
```

Format

The data set is a data frame. The number of rows is the number of gene id. The number of column is two.

Details

The first column includes RefSeq gene id and the second column includes corresponding wikigene_name. It can be made out of getBM function in biomaRt package. Please note that the name of object loaded is not "MM_refseq_to_wikigene_name" but "id_conv", because of the requirements by MiRaGE package.

Note

For more details on how to generate this table, please see functions in MiRaGE package and vignette.

References

For more details about BioMart Gene ID Converter, access to <http://www.ensembl.org/biomart/martview/>

Examples

```
data(MM_refseq_to_wikigene_name)
```

TBL2	<i>Target gene table miRNA</i>
------	--------------------------------

Description

This target gene table of miRNA is for MiRaGE package. Actual name of data file is either TBL2_MM (for mouse) or TBL2_HS (for human), but name of data frame loaded is "TBL2"

Usage

```
data(TBL2_MM)
```

Format

The data set is a data frame. The number of rows is the number of miRNAs. The number of column is the number of RefSeq gene id.

Details

This target gene table is generated by simple seed match between 3' UTR RefSeq gene and 5' UTR of miRNAs. 3' UTR RefSeq gene sequence is taken from genome table. miRNA mature sequences are taken from miRBase Release 18. Row names are miRNA names and column names are RefSeq gene id.

Note

How to generate this table, please see functions in MiRaGE package and vignette.

References

M, Yoshizawa, Y-h. Taguchi and J. Yasuda, Inference of Gene Regulation via miRNAs During ES Cell Differentiation Using MiRaGE Method, Int. J. Mol. Sci. 2011, 12(12), 9265-9276

Examples

```
data(TBL2_MM)
```

TBL2_HS	<i>Target gene table miRNA of human</i>
---------	---

Description

This target gene table miRNA of human is for MiRaGE package

Usage

```
data(TBL2_HS)
```

Format

The data set is a data frame. The number of rows is the number of miRNAs. The number of column is the number of RefSeq gene id.

Details

This target gene table is generated by simple seed match between 3' UTR RefSeq gene and 5' UTR of miRNAs. 3' UTR RefSeq gene sequence is taken from genome table, from hg19 genome sequence. miRNA mature sequences are taken from miRBase Release 18. Row names are miRNA names and column names are RefSeq gene id.

Note

How to generate this table, please see functions in MiRaGE package and vignette.

References

M, Yoshizawa, Y-h. Taguchi and J. Yasuda, Inference of Gene Regulation via miRNAs During ES Cell Differentiation Using MiRaGE Method, Int. J. Mol. Sci. 2011, 12(12), 9265-9276

Examples

```
data(TBL2_HS)
```

TBL2_MM	<i>Target gene table miRNA of mouse</i>
---------	---

Description

This target gene table miRNA of mouse is for MiRaGE package

Usage

```
data(TBL2_MM)
```

Format

The data set is a data frame. The number of rows is the number of miRNAs. The number of column is the number of RefSeq gene id.

Details

This target gene table is generated by simple seed match between 3' UTR RefSeq gene and 5' UTR of miRNAs. 3' UTR RefSeq gene sequence is taken from genome table, from mm9 genome sequence. miRNA mature sequences are taken from miRBase Release 18. Row names are miRNA names and column names are RefSeq gene id.

Note

How to generate this table, please see functions in MiRaGE package and vignette.

References

M, Yoshizawa, Y-h. Taguchi and J. Yasuda, Inference of Gene Regulation via miRNAs During ES Cell Differentiation Using MiRaGE Method, Int. J. Mol. Sci. 2011, 12(12), 9265-9276

Examples

```
data(TBL2_MM)
```

Index

* data

conv_id, [4](#)
HS_conv_id, [5](#)
HS_refseq_to_affy_hc_g110, [6](#)
HS_refseq_to_affy_hg_focus, [7](#)
HS_refseq_to_affy_hg_u133_plus_2,
[11](#)
HS_refseq_to_affy_hg_u133a, [8](#)
HS_refseq_to_affy_hg_u133a_2, [9](#)
HS_refseq_to_affy_hg_u133b, [10](#)
HS_refseq_to_affy_hg_u95a, [12](#)
HS_refseq_to_affy_hg_u95av2, [13](#)
HS_refseq_to_affy_hg_u95b, [14](#)
HS_refseq_to_affy_hg_u95c, [15](#)
HS_refseq_to_affy_hg_u95d, [16](#)
HS_refseq_to_affy_hg_u95e, [17](#)
HS_refseq_to_affy_huex_1_0_st_v2,
[18](#)
HS_refseq_to_affy_hugene_1_0_st_v1,
[20](#)
HS_refseq_to_affy_hugenef1, [19](#)
HS_refseq_to_affy_u133_x3p, [21](#)
HS_refseq_to_agilent_cgh_44b, [22](#)
HS_refseq_to_agilent_wholegenome,
[23](#)
HS_refseq_to_canonical_transcript_stable_id,
[24](#)
HS_refseq_to_ccds, [25](#)
HS_refseq_to_codelink, [25](#)
HS_refseq_to_embl, [26](#)
HS_refseq_to_ensembl_gene_id, [27](#)
HS_refseq_to_ensembl_peptide_id,
[28](#)
HS_refseq_to_ensembl_transcript_id,
[29](#)
HS_refseq_to_entrezgene, [30](#)
HS_refseq_to_hgnc_id, [31](#)
HS_refseq_to_hgnc_symbol, [31](#)
HS_refseq_to_hgnc_transcript_name,
[32](#)
HS_refseq_to_HS_refseq_to_efg_agilent_sureprint_g3_ge,
[33](#)
HS_refseq_to_HS_refseq_to_efg_agilent_wholegenome_4x44,
[34](#)
HS_refseq_to_HS_refseq_to_efg_agilent_wholegenome_4x44,
[35](#)
HS_refseq_to_HS_refseq_to_ensembl_exon_id,
[36](#)
HS_refseq_to_HS_refseq_to_uniprot_genename_transcript,
[37](#)
HS_refseq_to_HS_refseq_to_uniprot_sptrembl,
[38](#)
HS_refseq_to_HS_refseq_to_uniprot_swissprot,
[39](#)
HS_refseq_to_HS_refseq_to_uniprot_swissprot_accession,
[40](#)
HS_refseq_to_HS_refseq_to_wikigene_id,
[41](#)
HS_refseq_to_illumina_humanht_12,
[42](#)
HS_refseq_to_illumina_humanwg_6_v1,
[43](#)
HS_refseq_to_illumina_humanwg_6_v2,
[44](#)
HS_refseq_to_illumina_humanwg_6_v3,
[45](#)
HS_refseq_to_interpro, [46](#)
HS_refseq_to_ipi, [46](#)
HS_refseq_to_merops, [47](#)
HS_refseq_to_pdb, [48](#)
HS_refseq_to_pfam, [49](#)
HS_refseq_to_phalanx_onearray, [49](#)
HS_refseq_to_protein_id, [50](#)
HS_refseq_to_refseq_dna, [51](#)
HS_refseq_to_refseq_genomic, [52](#)
HS_refseq_to_refseq_peptide, [53](#)
HS_refseq_to_rfam, [54](#)
HS_refseq_to_rfam_gene_name, [54](#)

- HS_refseq_to_rfam_transcript_name, [55](#)
 HS_refseq_to_smart, [56](#)
 HS_refseq_to_tigrfam, [57](#)
 HS_refseq_to_ucsc, [58](#)
 HS_refseq_to_unigene, [58](#)
 HS_refseq_to_uniprot_genename, [59](#)
 HS_refseq_to_wikigene_name, [60](#)
 id_conv, [61](#)
 MM_conv_id, [62](#)
 MM_refseq_to_affy_mg_u74a, [63](#)
 MM_refseq_to_affy_mg_u74av2, [64](#)
 MM_refseq_to_affy_mg_u74b, [65](#)
 MM_refseq_to_affy_mg_u74bv2, [66](#)
 MM_refseq_to_affy_mg_u74c, [67](#)
 MM_refseq_to_affy_mg_u74cv2, [68](#)
 MM_refseq_to_affy_moe430a, [69](#)
 MM_refseq_to_affy_moe430b, [70](#)
 MM_refseq_to_affy_moex_1_0_st_v1, [71](#)
 MM_refseq_to_affy_mogene_1_0_st_v1, [72](#)
 MM_refseq_to_affy_mouse430_2, [74](#)
 MM_refseq_to_affy_mouse430a_2, [73](#)
 MM_refseq_to_affy_mu11ksuba, [75](#)
 MM_refseq_to_affy_mu11ksubb, [76](#)
 MM_refseq_to_agilent_wholegenome, [77](#)
 MM_refseq_to_canonical_transcript_stable_id, [78](#)
 MM_refseq_to_ccds, [79](#)
 MM_refseq_to_codelink, [79](#)
 MM_refseq_to_embl, [80](#)
 MM_refseq_to_ensembl_gene_id, [81](#)
 MM_refseq_to_ensembl_peptide_id, [82](#)
 MM_refseq_to_ensembl_transcript_id, [83](#)
 MM_refseq_to_entrezgene, [84](#)
 MM_refseq_to_fantom, [85](#)
 MM_refseq_to_illumina_mousewg_6_v1, [85](#)
 MM_refseq_to_illumina_mousewg_6_v2, [86](#)
 MM_refseq_to_interpro, [87](#)
 MM_refseq_to_ipi, [88](#)
 MM_refseq_to_merops, [89](#)
 MM_refseq_to_mgi_id, [89](#)
 MM_refseq_to_mgi_symbol, [90](#)
 MM_refseq_to_mgi_transcript_name, [91](#)
 MM_refseq_to_MM_refseq_to_efg_agilent_sureprint_g3_ge, [92](#)
 MM_refseq_to_MM_refseq_to_efg_agilent_wholegenome_4x44, [93](#)
 MM_refseq_to_MM_refseq_to_efg_agilent_wholegenome_4x44, [94](#)
 MM_refseq_to_MM_refseq_to_ensembl_exon_id, [95](#)
 MM_refseq_to_MM_refseq_to_uniprot_genename_transcript, [96](#)
 MM_refseq_to_MM_refseq_to_uniprot_sptrembl, [97](#)
 MM_refseq_to_MM_refseq_to_uniprot_swissprot, [98](#)
 MM_refseq_to_MM_refseq_to_uniprot_swissprot_accession, [99](#)
 MM_refseq_to_MM_refseq_to_wikigene_id, [100](#)
 MM_refseq_to_pdb, [101](#)
 MM_refseq_to_pfam, [101](#)
 MM_refseq_to_phalanx_onearray, [102](#)
 MM_refseq_to_protein_id, [103](#)
 MM_refseq_to_refseq_dna, [104](#)
 MM_refseq_to_refseq_peptide, [105](#)
 MM_refseq_to_rfam, [106](#)
 MM_refseq_to_rfam_gene_name, [106](#)
 MM_refseq_to_rfam_transcript_name, [107](#)
 MM_refseq_to_smart, [108](#)
 MM_refseq_to_tigrfam, [109](#)
 MM_refseq_to_ucsc, [110](#)
 MM_refseq_to_unigene, [110](#)
 MM_refseq_to_uniprot_genename, [111](#)
 MM_refseq_to_wikigene_name, [112](#)
 TBL2, [113](#)
 TBL2_HS, [114](#)
 TBL2_MM, [114](#)
 conv_id, [4](#)
 HS_conv_id, [5](#)
 HS_refseq_to_affy_hc_g110, [6](#)
 HS_refseq_to_affy_hg_focus, [7](#)
 HS_refseq_to_affy_hg_u133_plus_2, [11](#)
 HS_refseq_to_affy_hg_u133a, [8](#)
 HS_refseq_to_affy_hg_u133a_2, [9](#)

- HS_refseq_to_affy_hg_u133b, 10
 HS_refseq_to_affy_hg_u95a, 12
 HS_refseq_to_affy_hg_u95av2, 13
 HS_refseq_to_affy_hg_u95b, 14
 HS_refseq_to_affy_hg_u95c, 15
 HS_refseq_to_affy_hg_u95d, 16
 HS_refseq_to_affy_hg_u95e, 17
 HS_refseq_to_affy_huex_1_0_st_v2, 18
 HS_refseq_to_affy_hugene_1_0_st_v1, 20
 HS_refseq_to_affy_hugenefl, 19
 HS_refseq_to_affy_u133_x3p, 21
 HS_refseq_to_agilent_cgh_44b, 22
 HS_refseq_to_agilent_wholegenome, 23
 HS_refseq_to_canonical_transcript_stable_id,
 24
 HS_refseq_to_ccds, 25
 HS_refseq_to_codelink, 25
 HS_refseq_to_embl, 26
 HS_refseq_to_ensembl_gene_id, 27
 HS_refseq_to_ensembl_peptide_id, 28
 HS_refseq_to_ensembl_transcript_id, 29
 HS_refseq_to_entrezgene, 30
 HS_refseq_to_hgnc_id, 31
 HS_refseq_to_hgnc_symbol, 31
 HS_refseq_to_hgnc_transcript_name, 32
 HS_refseq_to_HS_refseq_to_efg_agilent_sureprint_33,
 33
 HS_refseq_to_HS_refseq_to_efg_agilent_wholegenome_4x44k_v1,
 34
 HS_refseq_to_HS_refseq_to_efg_agilent_wholegenome_4x44k_v2,
 35
 HS_refseq_to_HS_refseq_to_ensembl_exon_id,
 36
 HS_refseq_to_HS_refseq_to_uniprot_genename_transcript_name,
 37
 HS_refseq_to_HS_refseq_to_uniprot_sptrembl,
 38
 HS_refseq_to_HS_refseq_to_uniprot_swissprot,
 39
 HS_refseq_to_HS_refseq_to_uniprot_swissprot_accession,
 40
 HS_refseq_to_HS_refseq_to_wikigene_id,
 41
 HS_refseq_to_illumina_humanht_12, 42
 HS_refseq_to_illumina_humanwg_6_v1, 43
 HS_refseq_to_illumina_humanwg_6_v2, 44
 HS_refseq_to_illumina_humanwg_6_v3, 45
 HS_refseq_to_interpro, 46
 HS_refseq_to_ipi, 46
 HS_refseq_to_merops, 47
 HS_refseq_to_pdb, 48
 HS_refseq_to_pfam, 49
 HS_refseq_to_phalanx_onearray, 49
 HS_refseq_to_protein_id, 50
 HS_refseq_to_refseq_dna, 51
 HS_refseq_to_refseq_genomic, 52
 HS_refseq_to_refseq_peptide, 53
 HS_refseq_to_rfam, 54
 HS_refseq_to_rfam_gene_name, 54
 HS_refseq_to_rfam_transcript_name, 55
 HS_refseq_to_smart, 56
 HS_refseq_to_tigrfam, 57
 HS_refseq_to_ucsc, 58
 HS_refseq_to_unigene, 58
 HS_refseq_to_uniprot_genename, 59
 HS_refseq_to_wikigene_name, 60
 id_conv, 61
 MM_conv_id, 62
 MM_refseq_to_affy_mg_u74a, 63
 MM_refseq_to_affy_mg_u74av2, 64
 MM_refseq_to_affy_mg_u74b, 65
 MM_refseq_to_affy_mg_u74bv2, 66
 MM_refseq_to_affy_mg_u74c, 67
 MM_refseq_to_affy_mg_u74cv2, 68
 MM_refseq_to_affy_moe430a, 69
 MM_refseq_to_affy_moe430b, 70
 MM_refseq_to_affy_moex_1_0_st_v1, 71
 MM_refseq_to_affy_mogene_1_0_st_v1, 72
 MM_refseq_to_affy_mouse430_2, 74
 MM_refseq_to_affy_mouse430a_2, 73
 MM_refseq_to_affy_mu11ksuba, 75
 MM_refseq_to_affy_mu11ksubb, 76
 MM_refseq_to_agilent_wholegenome, 77
 MM_refseq_to_canonical_transcript_stable_id,
 78
 MM_refseq_to_ccds, 79
 MM_refseq_to_codelink, 79
 MM_refseq_to_embl, 80
 MM_refseq_to_ensembl_gene_id, 81
 MM_refseq_to_ensembl_peptide_id, 82
 MM_refseq_to_ensembl_transcript_id, 83
 MM_refseq_to_entrezgene, 84
 MM_refseq_to_fantom, 85
 MM_refseq_to_illumina_mousewg_6_v1, 85
 MM_refseq_to_illumina_mousewg_6_v2, 86

MM_refseq_to_interpro, [87](#)
MM_refseq_to_ipi, [88](#)
MM_refseq_to_merops, [89](#)
MM_refseq_to_mgi_id, [89](#)
MM_refseq_to_mgi_symbol, [90](#)
MM_refseq_to_mgi_transcript_name, [91](#)
MM_refseq_to_MM_refseq_to_efg_agilent_sureprint_g3_ge_8x60k,
[92](#)
MM_refseq_to_MM_refseq_to_efg_agilent_wholegenome_4x44k_v1,
[93](#)
MM_refseq_to_MM_refseq_to_efg_agilent_wholegenome_4x44k_v2,
[94](#)
MM_refseq_to_MM_refseq_to_ensembl_exon_id,
[95](#)
MM_refseq_to_MM_refseq_to_uniprot_genename_transcript_name,
[96](#)
MM_refseq_to_MM_refseq_to_uniprot_sptrembl,
[97](#)
MM_refseq_to_MM_refseq_to_uniprot_swissprot,
[98](#)
MM_refseq_to_MM_refseq_to_uniprot_swissprot_accession,
[99](#)
MM_refseq_to_MM_refseq_to_wikigene_id,
[100](#)
MM_refseq_to_pdb, [101](#)
MM_refseq_to_pfam, [101](#)
MM_refseq_to_phalanx_onearray, [102](#)
MM_refseq_to_protein_id, [103](#)
MM_refseq_to_refseq_dna, [104](#)
MM_refseq_to_refseq_peptide, [105](#)
MM_refseq_to_rfam, [106](#)
MM_refseq_to_rfam_gene_name, [106](#)
MM_refseq_to_rfam_transcript_name, [107](#)
MM_refseq_to_smart, [108](#)
MM_refseq_to_tigrfam, [109](#)
MM_refseq_to_ucsc, [110](#)
MM_refseq_to_unigene, [110](#)
MM_refseq_to_uniprot_genename, [111](#)
MM_refseq_to_wikigene_name, [112](#)

TBL2, [113](#)
TBL2_HS, [114](#)
TBL2_MM, [114](#)