

# Package ‘HiCDataHumanIMR90’

January 23, 2025

**Title** Human IMR90 Fibroblast HiC data from Dixon et al. 2012

**Description** The HiC data from Human Fibroblast IMR90 cell line (HindIII restriction) was retrieved from the GEO website, accession number GSE35156 (<http://www.ncbi.nlm.nih.gov/geo/query/acc.cgi?acc=GSE35156>). The raw reads were processed as explained in Dixon et al. (Nature 2012).

**Version** 1.26.0

**Date** 2021-11-21

**Author** Nicolas Servant

**Maintainer** Nicolas Servant <[Nicolas.Servant@curie.fr](mailto:Nicolas.Servant@curie.fr)>

**Suggests** HiTC, BiocStyle

**biocViews** ExperimentData, Genome, Homo\_sapiens\_Data, GEO

**License** GPL-3

**InstallableEverywhere** yes

**Depends** R (>= 2.10)

**git\_url** <https://git.bioconductor.org/packages/HiCDataHumanIMR90>

**git\_branch** RELEASE\_3\_20

**git\_last\_commit** 65003f3

**git\_last\_commit\_date** 2024-10-29

**Repository** Bioconductor 3.20

**Date/Publication** 2025-01-23

## Contents

Dixon2012_IMR90 . . . . .	2
<b>Index</b>	<b>3</b>

---

Dixon2012\_IMR90

*HiC data Human IMR90*

---

### **Description**

Human Fibroblast IMR90 Hi-C Data (Dixon et al.)

### **Usage**

```
data(Dixon2012_IMR90)
```

### **Format**

Contains one `HTCList` objects (`hic_imr90_40`) and one `GRanges` object (`tads_imr90`). The `hic_imr90_40` object contains all intra/interchromosomal contact maps. The `tads_imr90` object contains the intervals of topological domains.

### **Details**

This HiC dataset published by Dixon et al ([GSE35156](https://www.ncbi.nlm.nih.gov/geo/query/acc.cgi?acc=GSE35156)), contains all genome-wide contact maps.

### **Source**

<http://www.ncbi.nlm.nih.gov/geo/query/acc.cgi?acc=GSE35156>

### **References**

Dixon JR, Selvaraj S, Yue F, Kim A et al. Topological domains in mammalian genomes identified by analysis of chromatin interactions. *Nature* 2012 Apr 11;485(7398):376-80.

### **Examples**

```
data(Dixon2012_IMR90)
show(hic_imr90_40)
show(tads_imr90)
```

# Index

## \* datasets

Dixon2012\_IMR90, [2](#)

Dixon2012\_IMR90, [2](#)

hic\_imr90\_40 (Dixon2012\_IMR90), [2](#)

tads\_imr90 (Dixon2012\_IMR90), [2](#)